


Commodore NETWORK

Vol 4 No 10 November 1995

AUSTRALIA

SUPPORTING THE 8 BIT RANGE OF COMMODORE COMPUTERS



NEWSWATCH



CMD'S NEW ACCELERATOR

CMD has announced that it is developing a new line of accelerators for the Commodore 64 and 128 computers.

The Super64CPU series design is based on the Western Design Center W65C816S microprocessor which was used in the Apple IIGS and is currently employed in the SNES (SuperNintendo Entertainment System).

The new series is scheduled to debut in February 1996 with two models: the Super64/10 (10 MHz) and Super64/20 (20 MHz). Both accelerators will operate on Commodore 64 and 64c computers, as well as in 64 mode on Commodore 128 and 128D models.

Acceleration will be switch-selectable as well as software-selectable. An additional switch will allow you to completely disable the accelerator or select between Standard and JiffyDOS operating modes.

Other announced features include 64K of fast static RAM, 64K ROM, and a built-in pass-through port for connecting compatible cartridges and RAM devices. Devices that will be compatible with the Super64CPU's include:

Commodore 17xx series REU's, CMD RAMLink, Berkeley Softworks' GEORAM, Commodore 15xx series drives, CMD HD & FD series drives, CMD SwiftLink

Super64CPU accelerators will provide high-speed with many software applications including GEOS, telecommunications and BBS programs, productivity and utility software, as well as most BASIC programs.

Retail prices are estimated to be \$149.95 for the Super64/10, and \$199.95 for the Super64/20.

A 128 version may be considered, and may be made available in mid 1996 if approval is given in coming weeks.

If anyone wants to voice their opinion to CMD concerning a 128 version, don't call. Just send a postcard with your opinion to: 128 Accelerator c/o Creative Micro Designs, Inc. P.O. Box 646 East Longmeadow, MA 01028-0646 USA

NEW COMMODORE PUBLICATIONS

Three new publications have recently surfaced in the United States. They are "The Gatekeeper", a bi-monthly (once every two months) publication in an 8.5" X 11" format and consisting of around 12 pages. Published by Bryan Pease, subscriptions in the U.S. costs \$11 a year, or \$2.00 for a sample issue. Sorry, I have no prices for outside the United States.

Contact: Bryan Pease, attn: the Gatekeeper 610 First Street Liverpool N.Y. 13088 U.S.A.

The second new publication is "GEOS Publication", a newsletter type production similar to GeoNews. Naturally enough, it is aimed fairly and squarely at the GEOS user, and is published monthly. At a cost of U.S. \$850 a year (U.S. only) for 20 pages it looks good value, however, I have no prices for overseas subscriptions, so it will pay to contact the editor first before forwarding any money. the contact address is: GEOS Publication 713 E. Main Street Independence KS 67301-3726 U.S.A.

Our third new item is disk-based and called "Commodore Gazette". I've yet to see a copy, but its U.S. subscription price is U.S. \$12 per year. I have no information as to frequency of issue. Contact: Christopher Ryan 5296 Devonshire Rd. Detroit MI 48224-3233 U.S.A.

We will have a review of "GEOS Publication" in the next issue, and hope to arrange reviews of both of the others over coming issues.

THIS ISSUE

- 4 GeosGenie
Designing graphics using GeoPaint
- 7 Power Drift
Andrew examines Lazer Duel
- 10 Letters Link
- 12 Micro Mart
- 14 Basic Magic
Splitting Sequential Files
- 15 PD Power
A Review of CSMON
- 16 Showcase
A Review of 64Net
- 18 PMCC
FLPT Math
- 27 Bits and Pieces
Shakin' and Rockin' and much more
- 29 Memory Management
Reconfiguring memory
- 31 Who's Who
Paul Gardner-Stephen revealed
- 34 BBS Listing
New South Wales

Commodore NETWORK

AUSTRALIA

Warren Naismith
EDITOR

Contributors

Jane Voskamp-Jones
Andrew Gormly
Marc Walters
Kevin Power
Peter Boothman

Arthur Stevens
Art Director

Advertising Dept
(058) 711 863
Fax (03) 9803 6498

Publisher
Australia - Warren Naismith
USA - Jack Vander White

D.T.P. Software
Microsoft Publisher

Commodore Network
9 Wadeson Street
Cobram
Victoria 3644
Fax (03) 9803 6498

FidoNet 3:633/272.1
email comnet@cloud.apana.org.au



Welcome to another Commodore Network.

This issue could almost be termed a "Programmer's Edition" since it seems to be almost entirely devoted to that particular facet of our computing hobby. Within this month's pages you will find the first in a series of articles by Peter Boothman dealing with memory management/manipulation.

Now, before you shrug your shoulders and say "Woh! That's way above my head", how about having a look at it. If you are at all interested in programming, this article could prove invaluable.

We also welcome back the enigmatic Marc Walters with the return of PMCC (Programmer's Machine Code Column). Marc has really outdone himself in his return, with a monster article dealing with BASIC ROM floating point math routines.

This is more than probably the most thoroughly documented and accurate article of its type EVER published, and covers all the C64's major ROM math routines, complete with their entry points, being the result of two months research and testing.

Although this article is of a size that would normally be split into two or more "installments", I decided that it deserved inclusion as a whole within a single issue. I felt it would be too valuable a reference source to be spread out over several editions.

Naturally, this has meant that a cut back in the size of, or the complete dropping of, several columns/articles was necessary to include PMCC in its entirety. These columns/articles will hopefully re-appear next month, so don't despair.

THE LONG LOST INSERT

Last month's Editorial mentioned our annual subscription drive, and an insert that was supposed to be included within the magazine.

Well, in our rush to get C.N. out to you lot, it didn't get inserted, did it! It SHOULD be found in this issue however.

The "Introduce a Friend" promotion is open to everyone, everywhere, and offers substantial incentives to you for introducing a new subscriber. Be sure to fill in your form completely so that we know who has introduced whom (and thus ensure that the right person gets the right bonus).

NEW PRODUCTS

Two new products have just turned up in the mail this day from Threshold Productions in the U.S.A..

They are "Flummi's world" and "Gangster/Time Traveller", both of which are arcade games. These will be reviewed in either "Power Drift" or "Showcase" in coming months.

Apparently, three more are on their way for review also, and we are hoping to have these available for you to purchase shortly. Two other Threshold Games, "Lazer Duel" and "Slaterman" will have reviews published shortly also. Demonstration versions of two Threshold games will appear on next month's Disk-Coverer.

On a more disappointing note, I have already come across a pirated copy of "Slaterman". This pirated version originated in Europe (Britain to be precise) and has just found its way to Australia.

Jonathan Mines of Threshold Productions and his associates do go to considerable trouble to produce products for Commodores. They know they will NOT make a fortune catering for a "dead" computer, and, indeed, they would be lucky to break even, but they have had a go.

When will Commodore users learn that to have people rob those few creators we have left of what little reward they may get for their efforts is tantamount to shooting yourself in the foot. If these pirates truly believe that all software should be free (or is that just other peoples creations?), why aren't they creating and distributing their own quality programs instead of destroying what little commercial support Commodore owners now have.

These programs are NOT copy protected, so it DOES NOT take much of a brain to copy them. It does, however, take considerable time and effort, AND a bit of nous, to create them. Let's support these people, not rob them of a just reward!

Commodore Network WILL be bringing in and distributing Threshold products in Australia, despite the pirates. If it was a commercial decision, and not one based on trying to offer maximum Commodore support, however, I'm afraid this incident would cause me to reconsider.

WELCOME

On a brighter note, we have a couple of writers to welcome (or welcome back) in Marc Walters and Peter Boothman. Both gentlemen have a very solid grounding in the Commodore 64 and are widely known and respected within the commodore community. It's great to have them share some of their immense knowledge with us. Welcome fellows!

Warney



What follows is a readers method of creating graphics in geoPaint, from Peter J McGuinn of Christchurch NZ. I hope that Peter's experience will be of interest to other geoPaint users, to see what can be achieved with a minimum of equipment, and some clever lateral thinking.

Creating Graphics in geoPaint

First of all I would like to say the method I use is very, very SLOW, but still it is not a race when working with GEOS. I have tried drawing in free hand and the grid line plus the moving mouse such as Ted Woodwell showed in the GEONEWS NEWSLETTER {Oct94} [and in CN Mar93], but found the drawings came out too small, or had too many pixels to take off the geoPaint page. Still [a] very good idea though.

What I wanted to do was, what ever size drawing I was wanting to put onto the geoPaint page, had to be the same size when I printed it out.

Anyway, this is the way I did it :

1. First I made a Pattern Page which was done in geoPaint. I covered a full geoPaint page with the very small squares from the Pattern Fill in geoPaint then printed it out. You can print out two copies, or [do] as I do, [and] go to a [copy] shop and have the first [printout] photocopied.

2. Next you will need a sheet of A4 size Tracing Paper plus a Picture which you want to have [in geoPaint format].

3. Trace picture onto Tracing Paper.

4. Using a Clip Board, place the Pattern Page plus the Tracing Paper with the drawing, on it. Fix with a clip to Clip Board. Now place the other Pattern Page next to it.


5. Using a felt pen or coloured pencil. {Looking through the Tracing Paper, you should be able to see the small squares of the Pattern Page.

Each small square represents FIVE pixel squares Up or Down, to be Filled in on the other Pattern Page with a Felt Pen}. Follow the Lines of your drawing and Draw onto the other Pattern Page. After you have completed the Drawing, go back to geoPaint open your document and go to Pixel Edit Mode and redraw your copy of your drawing. For larger drawings just add extra pages. That's it.

Tip : An A4 sized page will give you a drawing of about 50mm high. If you copy your Felt Pen Drawing back to the 1st Pattern geoPaint file, just fill in the empty squares with the Faucet and the Pattern Black Fill to give you an A4 sized drawing, though you will have to remove the grid lines and touch up the drawing

to take out sharp corners. Also if you print out using EPSON RED printer driver you will have another two sizes of the same drawing.

The picture sample is of JIMINY CRICKET.



Gg. Well done Peter. I hope that some other users will have benefited by the sharing of your experience. Thank you for writing your account for us.

Gg - My Story

When I first discovered GEOS early in 1988, my equipment consisted of my first C64 {1983 vintage}, one 1541 disk drive {1985 vintage}, a C1525 as MPS801 {1983 vintage} printer, a Joystick and a SUNCOM IconTroller, and GEOSv1.2 System Disk.

Many people are beginning this way in 1995. I sympathize with them, and I try not to overwhelm them, but to keep their interest and curiosity alive. Back then I wanted to create Art with geoPaint, and I couldn't see any limitations in this set up. Ignorance is bliss, and when people tried to tell me I couldn't achieve anything with the equipment that I had, I went ahead anyway, and I am now enjoying myself with all that GEOS can offer.

Work Disks

One of the first things you learn with

**Commodore
Network**

GEOS is about Work disks. You must set up work disks with different disk names and organize yourself. Funny thing was, every time I added to my system {equipment or GEOS version} I had to do this again, and again.

With v1.2 'tedium ad infinitum' becomes obvious, but to accomplish anything you must face it. For more detail on preparing Work disks, refer to the section 'GEOS Work Disks' in 'The World of GEOS HandBook I'.

```
{**}Boot Up C64 LOAD ".*",8,1
{C128 Autoboots disk on power
up}After booting GEOS on a single
drive system, you click on the file
menu from deskTop and select the
format option, to prepare a work
disk.
```

The deskTop then prompts you with a dialog box to enter a 'diskname,id' up to 16 characters. At this point remove the system disk and insert the disk you intend to make your work disk, then press RETURN. When the format is complete the blank deskTop of your work disk is displayed.

Next re-insert your system disk and click on the disk in the upper right corner of the screen to make it active. Then click once on the deskTop icon to highlight it, then click again to get the ghost icon and drag it to the border area below the deskTop page itself, but avoiding the printer icon and the trashcan icon that also reside there in the bottom right corner of the screen. Also drag the icons of geoPaint, photo manager, at least one font, a printer driver, and an input driver to the border area. This border area is also known as the off-page-directory. For more information on the off-page-directory, refer to the section 'Examining GEOS Sectors' in 'The HandBook of Commodore

Disks'.

The First geoPaint Work Disk

Next, you need to insert your work disk, and open it by clicking on the disk icon.

Then you click on deskTop icon in the border area to highlight it, then click again to get the ghost icon and drag the ghost up to the work disk deskTop page, and click again.

GEOS then prompts from a dialog box, to insert your system disk and click OK when you have done this. The deskTop program is read from the system disk until you are again prompted from a dialog box, to insert your work disk back into the drive. The deskTop program is then written to your first work disk.

Now you must put the system disk back in the drive and click on the drive icon to activate it.

You will notice that the deskTop icon is still in the border area. Click on it once to highlight it, then click again to get the ghost icon and then drag the ghost icon back up to the deskTop of the system disk. The deskTop program is then returned to its position on the system disk. Now you must follow the same process for the other files, until the task is completed.

Did I mention tedium {grin}.

Once you have your first geoPaint work disk prepared, I recommend NOT doing all that again. The best procedure to follow is to backup this first geoPaint work disk, using something like Fast Hackem {any version}, using the fast copy feature. But remember, when you next work with GEOS, promptly rename all the work disks with a characteristic name such as GEOS64Paint-1Work. Well anything that makes sense to you and is up to 16 characters in length will be fine. First geoPaint

Document

That is how I began using geoPaint. A lot of preparation and not much inspiration. Since I only had an MPS-801 printer I was restricted to sixty percent of the geoPaint page. I needed to figure out exactly where that was before trying to position any graphics or text. It took quite a few tests to establish this border line. Then with one of my geoPaint work disks I double clicked on geoPaint and I selected Create new document at the dialog box.

The journey into geoPaint began, learning about the tools from the tools menu, about updating the file, and about moving around the graphics I had drawn, and adding text in different fonts. When I needed to add some text, I had already chosen my fonts from those available on the system disk and FontPack1, and had them ready on my work disk. Only seven fonts can be accessed at a time so there was no point in having too many on the work disk. Four fonts was the number I chose to use after testing them for suitability. This work disk did not have a great deal of room on it anyway, starting with only 165K but somehow I survived. Although from my vantage point of the present I can not remember how. For more information about using geoPaint, refer to the sections on 'GeoPaint, Parts 1 and 2' in 'The World of GEOS Handbooks II and III' respectively.

A far far better thing

I was now totally hooked on GEOS and I had to know more. I bought GEOS64 v1.3 and I really liked the extra commands it made available. It was no longer enough. I had to have more. By mid 1989, the adventure into GEOS128v2.0 and 80columns was begun, along with using more

**Commodore
Network**

disk drives, and the purchase of GEOS64v2.0, a 1351 Mouse, and several other GEOS packages, and a 1750REU or two. I enjoy the additional commands and improved operation of v2.0, especially the multifile feature. My skills improved and GEOS kept pace with me and my equipment, and I was totally addicted. Naturally, I blame GEOS for all this need for equipment and programs. At least I never have to make work disks the old way anymore {grin}. The important thing to remember with GEOS is that it is not a race. GEOS will be there waiting for your skills and knowledge to grow. All you need is inspiration and perseverance. And the rest as they say is history. End, {or was it really the beginning ?}. Since I first wrote this article in 1992, many things have changed in my GEOSing. With C128Ds, plus external 1571 drive, 512K RAM Units, a 1581 drive, and a SmartMouse, using 128-DualTop v3.0 {as my main system}, and a HandyScanner64 with PageFox on my C64, the World of GEOS is my oyster, so to speak. I enjoy myself in GEOS so much that I get withdrawal symptoms when I am out of it for too long. GEOS is 'the thinking persons play dough', well, that is what it is to me. I can mold it anyway I like, and make it do anything I like. Not bad for something that is supposed to be called 'work' {grin}. When I stop enjoying what I do, it will be time to hang up the mouse.

Readers Three Wishes And All That ...

From Ted Woodwell of Garran, ACT, "In one of our previous notes I was telling of the trouble I was having with the fonts jumping back after several pages, after converting Superscript128 to geoWrite128 with

Text Grabber and reformatting the pages. Following your previous letter, I decided to have a look at some of my old GEOS disks and came across the WrongsWrite one from some Q-Link down loads I had bought some time ago from the Christchurch User Group in NZ. This certainly solved my problem as it was easy to change fonts on all of the pages in the file at once instead of one page at a time. So at long last I have started on re-editing my story. With Perfect Print I can do 10 Pages of Page 1 at a time and as I am using single sheets, when finished just turn them over and print the page 2, 10 sheets on the other side, and so on. With Superscript128, I used tractor feed paper and printed odd numbers and then after about 20 pages turned the paper over and printed the even ones. I must say once you get organized this is much better. Still I have the rest of my life to get it done so I'm not in a hurry {JOKE !!}. A photocopier would be nice, however I have a stack of paper that I bought for a song. Packets of it and good quality too. Once again I must congratulate you on your excellent column. It's funny some of the names that keep coming up are like old friends although I have never met them, only their work. ...

I must have another look at geoPublish. I got it when I first sent away to the States [USA] for GEOSv2.0 and my GeoRAM back when they first came out. Other than doing the tutorial, its been in the box ever since I put it in the too hard box. I recently bought a box of software at a sale and there too was another unused set of geoPublish that I would be happy to pass on to any interested GEOS user. When I started doing our Newsletter I used Paint Pages to

great effect for all my double column work so I never bothered to make the time to really have a look at the Pub. Now, with no deadlines now I must make the effort.

My oldest son ... has been visiting for the past week. ... He of course has been using IBM machines for some time, [he] had a look at what I was doing. when he saw some of my print outs of GEOS from Perfect Print, he couldn't believe it was from my old Citizen 9-pin. I was showing him some of geoCanvas which I am just getting to terms with. I will have a look at ScrapCan following your April column. Because I have been so busy this past year, some of the programs I have bought I have often had a glance at them, then put them by to look at later.

One program that I will get, as my son said to get it, is Joe Buckley's REU Zap [II]. On that German disk you showed me it was set up to dump the chosen Applications straight in to the RAM [Unit] on booting. I could do with that !!. Do you know whether it's on Storm Systems Disk I, or is it a stand alone program ?. I will send off a letter to the States [USA] this weekend. I have the address from your article.

Well cheerio for now. Keep up the good work, and I hope your health has improved".

Gg. Thanks Ted. Yes, REU Zap II is on the Storm Systems Disk I, along with many other programs and adequate geoWrite document files. You can also try the German distributor [Michael Renz of PPEurope] for this disk, if you get into difficulties trying to get it.

From Gordon Turrall of Warriewood NSW, "The GEOSgenie column is very informative and I enjoy it very much, especially the software and hardware reviews. Could you tell me

**Commodore
Network**

if your scanning service is still available, and if so what are the rates".

Gg. Thanks Gordon, I am glad to hear of the topics that you find interesting. Without this kind of feedback, it wouldn't be much of a column. The scanning service still operates, when people want things scanned. I have sent you the detailed information you require. I find it an exciting way of getting pictures / drawings into the Commodore and GEOS systems, and it never fails to amaze me with the things the HandyScanner64 can do, especially with PageFox {96K extra on a C64}. For more information, refer to the section 'The HandyScanner64 and PageFox' in 'GEOS in Review' HandBook.

Next month, will be another mystery out of the genies bottle !. Until then, happy GEOSing.


Send in your comments, or great GEOS discoveries, and I will respond when I can in this column, unless you wish a private reply, in which case please send a SSA{Business}E and I will write you back.

Special thanks to Rick Coleman {Photo Mover fame}, our USA GENie BBS correspondent for your continued support, and to Michael Renz {Performance Peripherals Europe}, our German correspondent, for your continued support.

CN GEOSgenie
PO Box 635
Blair Athol
South Australia 5084

{**} The World of GEOS HandBook Series {I, II, III}, GEOS in Review, and The HandBook of Commodore Disks are currently available from JMV Grafix

Power Drift



LAZER DUEL

November it is, and 1995 is fast slipping by. Those winter nights huddled around the fire are giving way to the humid evenings out on the beach, the hot chocolate is being replaced by the chilled can and the warm jumpers are being exchanged for the grass skirts and bamboo.

Well, almost. Commiserations to our northern readers as they head for the cold, but Down Under we're all pulling out the surfboards and eskies in preparation for summer. However, one thing remains the same throughout the year, come rain or shine, and that's the Commodore with a game in the drive!

All you gamers out there can look forward to a new season full of entertainment as CN continues to bring you the latest developments from around the globe. As part of that commitment, we're going to look at one of the new products to emerge from American company Threshold Productions in this month's column - the strategy game Lazer Duel.

Just as many of the C64's old programmers are heading back to the scene to churn out exciting new demos, so too is the games area experiencing a revival in talent and enthusiasm. Lazer Duel is a testimony to the new feeling of optimism within our beloved community.

With the cover depicting a mean-looking tank up on two wheels (or should that be one caterpillar track?) surrounded by laser beams, this program makes a good impression right from the start. The explanation of the background in the documents is a nice touch, with the age-old story being told in a simple time line. You know, big corporations develop wonder technology and raise their own personal armies, take over the world, and up fighting one another and causing a short-lived holocaust after which the few survivors decide that disputes should be resolved in a somewhat more civilised fashion (what ever happened to a good ol' arm wrestle?). In their quest for a device with minimal damage but still satisfying and enjoyable, these people stumble upon the former playing fields of the rich young executives which involved a pair of fusion- powered laser-equipped tanks doing their best to blast each other into pieces smaller than Kate Moss. And you guessed it, you happen to be the controller of a tank taking part in the Duel, and your task is to survive in such a way that your opponent doesn't.

The principle behind Lazer Duel is quite simple. You are a tank (and I mean that in a caring, sharing way)

Commodore
Network

on one edge of the screen, facing your opponent on the other. You take it in turns to fire at each other with your laser gun. The catch is that between the two of you are several diamonds positioned so that a clear shot at your target is impossible. However, each of the four sides of every diamond will reflect a laser beam at a 90 degree angle. The trick, then, is to fire your weapon so that the beam reflects off a number of diamonds in succession and ultimately hits your opponent... or you.

It should be made clear from the beginning that Lazer Duel is not a duck-and-dive shoot 'em up of the same genre as Cabal or Archon. Your tank remains in the position you left it after your shot and you sit there helpless as your computer opponent finds his range and selects his firing line. If he hits you, you can only plot his demise and attempt revenge (unless, of course, it was your last life). The key is not hand-eye coordination, but a tactical mind which can trace the potential path of your laser from diamond to diamond until you are reasonably sure that it will end up disintegrating your rival - or at least, not disintegrating you. The real game is played before you press the fire button, and the enjoyable part to Lazer Duel lies in its absorbing strategy. Most of the walls are reflective as well, although there are a few blocks scattered around the screen which accept rather than reflect the laser beam and end your turn. In addition, there are two rotating light blue diamonds, one near the top of the screen and the other close to the bottom. When these bonuses are hit, you gain either 500 points, 1000 points or an extra life (you begin with the usual three). One of the exciting aspects of the game is

that the laser trail remains on the screen until the beam strikes one of the tanks, a bonus or an absorbent block, any of which signals the end of your turn. This means that at times the screen can be criss-crossed by the laser as it bounces from diamond to diamond before eventually lashing out to hit something proper. A successful kill gives 1000 points, and at the end of each screen, after the player or the computer has lost the last life, the points are tallied.

GRAPHICS

Obviously in a game of this nature the graphics are not the primary focus of the play, but the artists - Terry Flynn, Zak Arntson and Patrick Vulpi - have done a good job to maintain the feel. Each screen remains static until one of the combatants triumphs and the other is vanquished, but the update after each shot when the randomly placed diamonds are scattered over the playing field in a different pattern is very quick in comparison to other games requiring a similar mechanism. Scrolling is not really an issue - the tanks simply move vertically in their little space when maneuvering for a shot on the opponent.

The laser beam runs easily and smoothly across the screen, and in general the game features surprisingly well-defined graphics which contribute to the overall positive impression.

SOUND

There is a suitably haunting title track which fits in with the mood of doom and gloom portrayed by the documents.

Lots of whining Steve Vai guitar solos and the like. The sound effects within the game are good - a satisfying "bounce" whenever the laser beam reflects off a diamond or

a wall, appropriate blasting noises which accompany the firing of a shot, and the usual low growl of a tank in motion as you position your vehicle. Oh, and that's not to mention the lovely disintegration sound when your tank is blown into the printer sitting next to your monitor.

As you'll know by now, I normally grumble at a lack of ingame music, but strategy games of this genre are exempt from that taste. This is one where your own choice of music in the background probably works better than an attempt by the coding crew to cover all preferences.

GAMEPLAY

The big factor in any game, this is particularly so for all tactical games, and I believe that Lazer Duel passes the test reasonably well. Whilst the principal aspects of the game are the same throughout, there is enough variety in the smaller areas to keep it interesting and fresh. With eight levels, each has five different screens which, for those for whom maths was a struggle (I know how you feel), is forty-two screens in all. Or forty for those who never read, heard, saw or played The Hitch-hiker's Guide to the Galaxy. Each screen has its own distinctive pattern of permanent diamonds in some geometrically pleasing arrangement in addition to the twelve random diamonds, and thus the more common firing lines which you may be able to figure out by the end of one screen are absent on the next.

The different levels have their own background colours - first is red, second is green, third is light blue and so on to relieve your eyes whenever you advance. The later levels can be directly accessed from the title screen by pressing the corresponding number, but you must have previously reached your desired

**Commodore
Network**

stage in order to obtain the four-number code required for the short cut.

In general, I found that it takes too long to plot every twist and turn of the laser beam before each shot.

Instead, I ended up ensuring that the beam was going to head in the basic direction to end up in a cluster of diamonds near your opponent in the hope that it would glance out and strike. This enabled me to keep the game going at a reasonable quick rate - the computer usually only takes a few seconds to line up and fire - and maintain the tempo.

Clearly, there are some for whom Lazer Duel will be worth spending many minutes planning each move... just call me impatient.

PRESENTATION

Lazer Duel came to me in a resealable bag with the five or six pages of documents folded around the disk - perfectly acceptable in this day and age where the punters tend to concentrate more on the game than the glitzy boxes which cost the producers a fortune. The cover had a couple of screenshots printed out on waxed paper giving an accurate portrayal of the software with scenes from the first level. On the title screen a small tank scrolls up the side of the screen and fires a few words across to form the level selection query - a nice touch from the coders.

Threshold Productions have done well to support and market their product in a positive manner and this attitude comes across in the presentation.

OVERALL

One thing is certain about this game - Lazer Duel is definitely one for some and not others. A few friends who looked in on me during the review period were divided as to their opinions; some were enthusiastic and had to be forcibly removed from the computer, whereas others afforded it one look and then moved on. I suspect that those who delight in shoot 'em ups should pass this over, but I am convinced that those who enjoy a tactical game with a difference will gain much enjoyment from Lazer Duel.

With respectable graphics and sound, the gameplay offers enough depth to make this one worth a second or third look.

- ◇ **Graphics: 80%**
- ◇ **Sound: 74%**
- ◇ **Gameplay: 84%**
- ◇ **Overall: 81%**

COMPETITION

As always, The Power Drift gives you the chance to try for yourself the games reviewed in the column. Up for grabs this month is a copy of Lazer Duel, which can be all yours if you find the correct answer to the following question: How many points

are awarded for a successful kill? So simple even your pets could enter - and they can, if they like! Send your entries to:


The Power Drift
PO Box 123
Walkerville SA 5081

I'll be awaiting the sea of mail with trepidation...

COMING SOON...

And thus concludes the review of Lazer Duel - but never fear, The Power Drift shall return soon. Next month we'll be looking at another of Threshold Productions' offerings: Slatterman. A case of platform game meets smash'n'grab, hang around to see whether or not it outscores its partner in the coming review. Until then, look after yourselves and I'll be back by your computer desk in no time at all.

Cheers Andrew



JMV GRAFIX




The Handbook of Commodore Disks	\$15
The Handbook of Commodore 128	\$15
The Handbook of Commodore 64	\$15
The World of Geos Handbook	\$15
The World of Geos Handbook II	\$15
The World of Geos Handbook III	\$15
Geos in Review	\$10

Prices include Postage and Handling within Australia, and are quoted in \$A. Overseas orders please add \$A5.00

JMV Grafix PO Box 635, Blair Athol, South Australia, 5084

**Commodore
Network**



POINTS IN SEPTEMBER C.N.

p9: Simple RS232 User Port Interface :

certainly should perform voltage level translation for signals to the computer, but provides only a 0V/+5V excursion for data into the modem. This is outside the RS232 specification, and while some modems will use such a signal, many will not. It seems appropriate to warn intending constructors that AUSTEL (the regulatory authority) provides heavy penalties for breaches of its regulations concerning the use of such an item, to protect both the user and the telecommunications equipment to which it connects (through the modem). Those interested should peruse page 21 of "Electronics Australia", November 1995.

p11 : 1571 Drive Speed :

No wonder the speed adjuster couldn't be found! There is none. Unlike the 1541, the disk in the 1571 is driven by a stepper motor which receives pulses counted down from a crystal-clock source. In Vic Majury's case, with two drives indicated as slow, I would be very suspicious of the test method. It is possible that

Drive Doctor's testing is timed from a slower time-base in his computer (perhaps 50 Hz) than envisaged by its designer, more used to US conditions (60 Hz).

Probably his OK drive really is, with the other having some problem not related to drive speed.

p12 : Care With Electricity :

While fully supporting Vic Mobbs' plea for ELCB's (Earth Leakage Circuit Breakers), I must point out that his fire would almost certainly have progressed in the same way even if he had had an ELCB.

Overheating in a plug is due to current traversing extra resistance in its normal path, but the ELCB only acts on current in an abnormal path ie. via earth.

An ELCB could have cut off the electricity, but only after the fire had advanced so far as to burn away the insulation and allow the extension cord's conductors to contact each other.

I note that he did not mention a smoke alarm, which could have produced a quicker alert than his nose. They should have even greater priority than ELCB's, having the potential for saving more lives.

Thanks for the above information, Gordon.

SUPPLY of DISKS

And from Vic Mobbs, now residing in Victoria, comes this:

Did you know that it is extremely difficult to get Double Sided Double Density disks (either size) outside the capital cities?

It is getting extremely difficult to reliably locate Double-density disks (either 5.25" or 3.5") anywhere at what can be construed as a reasonable price. C.N. has recently located a new source, and will be offering blank disks through C.N.P.D. (see flyer in the last issue).

HIGH DENSITY DISK DRIVE for C128

Vic goes on to say:

Is there any chance of this happening?

Yes, in fact both of CMD's FD drives (FD-2000 and FD-4000) can handle High-Density disks.

HELP LINE

Further in to Vic's letter he wrote: I really like talking to people over the 'phone but few if ever try me. There are many times I am frustrated by a program on disk or page with no HELP line available.

If the people who produce the disk or write the article don't want to talk or write to people, maybe they could be persuaded to send ALL details to me so that I can do that for them.

Nothing ventured, nothing gained they say. Failing that, I think readers would welcome the choice to have a 'CN-Buddy in the same telephone

**Commodore
Network**

district' to whom they may more conveniently relate where HELP is an appropriate solution to some frustrating computer problem.

The Club in Sydney who tried it, found that membership & readership grew.

HelpLine was a very successful innovation in the earlier issues of C.N. It's disappearance was not because our "HelpLiners" were no longer available. It was more a combination of editorial carelessness, when, after a couple of "jam-packed" issues where it became expedient to drop the item due to space limitations, its re-insertion was simply forgotten.

Let's see if we can't get it right this time and insert a few HelpLiners names in this edition. hopefully it will become a regular item once more within the pages of C.N.

As for the suggestion of a "CN-Buddy", I think it's a great idea, although in practice it may not be possible since our readership is so widespread. However, if anyone would like to be a "CN-Buddy" let me know. If we don't try, we'll never know!

COMMODORE FORMAT

Up in New South Wales, and Marc Walters writes:

The rumour that Commodore Format magazine is no longer with us is not quite true. I inquired at the Australian magazine distributors, Gordon & Gotch PTY LTD, who told me that the last CF to reach Australian shores was the May 1995 edition, further issues were not exported from the U.K.

I then rang Future Publishing in

Britain, who said that CF was still being published, but apparently not being exported.

A few days ago I read in a disk magazine that next month's issue of CF was to be the last ever (either the October or the November issue).

As for CF's sister magazine Amstrad Action, it was closed after the July 1995 issue (#115), leaving CF the last remaining commercial 8-bit magazine in Britain.

Hmmm, (Warren in his best Mike Moore voice) interesting news, Marc. It verifies and explains several things that I've been told by sources overseas.

SOFTWARE SOURCE

Marc goes on to say in his letter:

At the recent annual Newcastle Microcomputer Exhibition I found one exhibitor from Sydney who claimed to have a few thousand units of C64 software sitting in his warehouse. Wow!

A few days later I was sent their catalogue:

* CLOVER PARTNERS

- * discount software
- * P.O. Box 971
- * Lane Cove
- * N.S.W. 2066

Although mainly cassette based, their range of software is large, and has quite a number of excellent titles and old classics. all are priced at \$5 each. Some of their better titles include:

DISK: Blood Money, Chessmaster 2100, Mavis Beacon Typing Tutor,

Build-a-Book refill kits #1 and #2. Switchblade, and Warlock

TAPE: Chart Attack Compilation. Now Games 5 Compilation, Cloud kingdoms, Eye of Horus, Fighting Warrior (only 876 units remaining!!! I bet they really want to get rid of these!), Hero Quest, Rainbow Arts 5th Anniversary, Rainbow Arts Action Pack, Rodland, Scrabble Deluxe, and Shoot-em-up Construction Kit.

As you can see, mostly tape, but many are single load and so are transferable to disk via Action Replay type cartridges. The full list contains 51 different titles.

Clover also deals in software for most other computers.

Great stuff, Marc. I for one will be contacting Clover if only to see what they have to offer.

BUYING A PRINTER

Back down to Portland, Victoria, and Ross Galbraith writes:

I'm thinking of buying a new printer for my children's C64. Even though the main use of the unit is still games, both are now at an age where wordprocessing (for homework, etc.) skills and the ability to print out files would be an advantage.

I have been told that the majority of printers now manufactured are for use with the IBM computers (or compatible). Will I need to buy second hand, or are there suitable new printers readily available?

If I can get a printer, what should I look for? What do you consider the features of most use?

OK, Ross, first things first. Most printers currently being marketed

**Commodore
Network**

can be used by your Commodore with the right connections. It doesn't matter whether it's a 9-pin dot matrix or the latest state-of-the-art laser. I use a Panasonic KX-P4410 laser connected up to my C128 via a GeoCable for all my needs, and it works perfectly with GEOS, The Write Stuff, and Superscript/Superbase. It will pay you to look for Epson compatibility in any printer you purchase. As for features, well I can't say that I've ever found any particular feature to be as important as output quality. If the text/graphics print out to your satisfaction, you can then consider the additional features each printer provides. Be aware that many features may be unavailable to you, depending on the software being used at the time.

F-14 TOMCAT

Peter Rose of Port Moresby, Papua New Guinea, writes:

I'm not too sure where I should send this, so I'm sending it to Letter's Link. If it should be passed on to "Power Drift" then I'll leave that to you, Warren.



For a long time I had trouble with the early flight training tests. I used to try and follow the instructor but now, by learning the hard way, I've found an easier method. All you need do is follow the arrows being displayed in the lower left corner of the screen. They become illuminated, indicating the direction you should go in next.

I suppose I really should have passed this on to Andrew, but what the hey!



Micro Mart

FOR SALE

1 Commodore 64C, slimline case, excellent condition including manual, power supply and video cable... \$60

1 Maestro 2400 ZXR modem complete with manual and power supply, allows 300, 1200/75, 1200 and 2400 baud transfer, fully automatic and software controlled, battery-backed RAM... \$99

CONTACT:

Andrew Gormly
PO Box 123
Walkerville SA 5081

FOR SALE

The Following Copies of Commodore magazines at 50 cents each, plus postage.

Your Commodore C16/Plus 4 - November '88

RUN - March '88

Commodore Magazine - December '84, January '87, August '88, December '88, March '89

Commodore User - December '87, January '88, April '88, May '88, November '88

Your Commodore - May '87, July '87, April '88, August '88

Zzap 64 - October '88, November '88, December '88, March '88

Commodore Computing International - April '88, August '88, September '88, October '88, January '89

Compute! - May '84, March '85, April '85, May '85, August '85, September '85, November '85, December '85, January '86, March '86, August '87

Compute Gazette - July '84, September '84, October '84, April '85, June '85, September '85, October '85, November '85, December '85, January '86, July '87, August '87, March '88, November '88, March '89

CONTACT:

Gordon Screen
18 Windsor St.
Edgeworth N.S.W. 2285

FOR SALE

Mini Office II - original, boxed, with manual - \$35 + post
Chessmaster 2000 - original, unused, boxed, with manual - \$30 + post will send COD

CONTACT:

Bill Bratby
27 Smith St.
Old Bar
N.S.W. 2430
Ph: (065) 537 540

Commodore Network

FOR SALE/SWAP

Microsoft Multiplan 64 with
docs willing to consider any swap or
offer

CONTACT

Aaron Kernbach
P.O. Box 927
Nairne S.A. 5252
Ph: (08) 388 0014

FOR SALE

Easyscript 64 - disk and manual

\$25.00

Simon's Basic- cartridge and manual

\$25.00

Epyx Fastload - cartridge and docs

\$25.00

128 Programmer's Reference Guide

\$30.00

Commodore Disk User (11 mags and
disks) plus Serious User's Guide for
'87 and '88

\$30.00

All prices include post and packing

CONTACT

Ron Daniels
2/1 Dennis Place
Victor Harbor S.A. 5211

FOR SALE

Commodore 64 (slimline) with
1541 - II disk drive, 1201
monitor, 9-pin dot matrix
printer, AVTEK
fax/modem, "Freeze Machine"
fastload/backup/reset cartridge,
RS-232 cartridge, around 100
double-sided disks of 64
software, heaps of docs,
including the first three years of
C.N., Programmer's manuals,
bound Commodore Hacking
mags, original software titles on
disk and cassette, joypad, all
cables and power bricks . . .
.....and much more! \$400 ono

CONTACT:

David Wolfe
Lower Plenty
(03) 9432-8407

FOR SALE

GEOS 128 (complete and boxed)

\$25.00

GEOS 64 V2.0

\$25.00

GeoCalc 64

\$15.00

GeoPublish 64

\$25.00

Jane 128 (40 cols), boxed

\$10.00

Font Master II 128 (boxed & complete)

\$25.00

Warp speed 64/128 (cartridge)

\$30.00

Expert V4.1R cartridge, complete

\$30.00

C64 Programmer's Reference Guide

\$20.00

Superbase: the Book

\$10.00

Trivial Pursuit (Baby Boomer edition)

\$10.00

Jordan vs Bird

\$10.00

Teenage Mutant Ninja Turtles

\$10.00

Supremacy (Space strategy simulation)

\$20.00

Sim City

\$20.00

Pool of Radiance

\$20.00

Cave Ugh-lympics

\$10.00

Word writer 4

\$15.00

Super Expander Cartridge

\$10.00

Partner 64

\$15.00

All software is original and has
manuals Payment COD include
postage

CONTACT:

Eddy on (0848) 33165

FOR SALE

REU UPGRADE - done by Lance
Bosanquet from McGrath's Hill.

The REU will run under GateWay
(without switcher). It registers 952k
on RAMDisk \$300.00

GateWay 128 \$25.00

Battery Backup \$130.00

KeyDOS \$30.00

128 News Maker \$30.00

128 Sketch Pad \$30.00

128 Spectrum (paint programs)

\$30.00

The three programs above are
suitable for use with the REU.

128 Illustrator \$20.00

Note: the above is unsuitable for use
with the aforementioned REU.

CONTACT:

Gwen Lohman
130 Crooked Lane
North Richmond N.S.W. 2754
Ph: (045) 711 762

WANTED

Colour monitor for the C= 64

CONTACT

Bob Cole
Ph (079) 563 415

WANTED

Australian Commodore and Amiga
Review back issues

CONTACT

Andrew Leniart
(018) 326 012
E-mail: aleniart@netspace.net.au

**Commodore
Network**



Large Sequential text files can sometimes be a problem. Some text files, when transferred from a larger machine such as a PC, can be hundreds of blocks in length. It may be necessary to divide the file into a number of smaller text files of a size that your wordprocessor can more easily digest.

This task is easier than it sounds, as we need only to use BASIC 2.0's built in file handling capabilities to do the job. In brief, an input channel is opened for the large sequential text file, and an output channel opened for the new, smaller series of text files which will be produced.

The OPEN command is used for the task, for example-OPEN 2,8,2,"BIG TEXT FILE,S,R" opens channel 2 for the file "BIG TEXT FILE". The "S" is the file type ("S"=Sequential, "P"=Program, etc.) and the "R" is the operation type, in this case a "read file".

ASCII characters are read from the file one at a time, and can be printed to the screen or output to another OPENed file. The reserved variable, ST, is used by the operating system as a status flag, when read it will return a value of zero unless the end of a file is reached or a disk error occurs.

To use the following program: At the "FROM" prompt type the name of the large text file needed to be broken down. At the "TO" prompt type the destination filename. Each new file will have a successive number appended to its filename. At the "BLOCKS" prompt, type the maximum number of disk blocks you wish each destination file to be, a disk block is about 254 characters in size, or one quarter of a kilobyte.

EXAMPLE:

A 120 Block text file, "INSTRUCTIONS", will not fit in a particular Word Processor. It needs to be broken down into files of no more than 50 blocks in size.

At the "FROM" prompt type "INSTRUCTIONS" <return>, at the "TO" prompt type "I.PART" <return>, and at the "BLOCKS" prompt type 50 <return>. Make sure a disk containing the file and enough free blocks is in device #8 (diskdrive).

The filename of each new smaller text file created is printed to the screen, and the text saved in that file is printed as well. The program will create three new text files on the disk named "I.PART 1", "I.PART 2" and "I.PART 3", none of which are greater than 50 blocks in

length. When typing in the program, the spaces between commands may be omitted. This program will work also on the PET, C16, Plus4, C128, and C65 in C64 mode (probably).

```
100 INPUT "[CLEAR]FROM" ; F$:
INPUT "TO"; T$: INPUT "BLOCKS"; B
: EN=0 : NT=0 : PRINT CHR$(14)
```

```
110 FF$ = "0:" + F$ + ",S,R" : OPEN
2,8,2,FF$ : GOTO 200
```

```
120 NT=NT+1 : TT$ = "@0:" + T$ +
STR$(NT) + ",S,W"
```

```
130 OPEN 3,8,3,TT$ : BC=0
```

```
140 GET# 2,A$: PRINT A$; IF ST <> 0
THEN EN=1
```

```
150 PRINT# 3,A$; IF EN=1 THEN
CLOSE 2 : CLOSE 3 : PRINT : PRINT
"***[ FINISHED! ]***" : END
```

```
160 BC = BC+1 : IF BC < 254*B THEN
140
```

```
170 CLOSE 3:200 PRINT
"[DOWN][DOWN][DOWN][DOWN][DOWN]
N]": PRINT "****[ SAVING: " ; T$ ; NT+1 ;
"J***": PRINT "[DOWN][DOWN][DOWN]"
: GOTO 120
```

Explanation:

LINE 100: variable EN will be set to 1 if end of file is found. Variable NT keeps a count of the number of new files created. "PRINT CHR\$(14)" turns on Lower Case mode.

LINE 110: String Variable FF\$ is created for use by the OPEN command.

LINE 120: String Variable TT\$ is created, note the use of variable NT to form successive filenames.

LINE 130: The output channel is OPENed. Variable BC is initialised and will be used to count up to 253 ASCII characters.

LINE 140: A character is fetched from the input channel, printed to the screen, checked to see whether the end of the file is reached.

**Commodore
Network**

LINE 150: The character is sent to the output channel, and, if it was the final character, the files are closed, the program ends.

LINES 160, 70 and 180: The character counter is increased. A block is treated as 253 characters. If the maximum number of blocks is not reached then the program loops, otherwise the current output file is closed, a message printed, and the program loops back to create a new output file.

NOTES: The program only recognises device 8. The program does not convert ASCII to/from PETASCII. To save a BASIC program as a text file type in

OPEN 2,2,"filename,S,W":CMD2<RETURN>

then LIST<return>.

then PRINT#2:CLOSE2<return>.


Control codes within quotes such as <cursor down>, <home>, <Reverse>, etc. are ignored. To handle the control codes rewrite the program so that each control code is individually handled and a relevant string output in its place, for example, if the control code for <cursor down> is input, the program should output "I", "D", "O", "W", "N", and "I", or a similar substitution.

EDITOR'S NOTE: This program will appear on the next Disk-Coverer



A Review of CSMON

PD POWER



CSMON is a machine language monitor developed by Polynious of the European demo team Padua.

The monitor is certainly superior to most other ML monitors available, for the following reasons:

1) It allows use of undocumented/illegal opcodes like LAX, LAY, STP, etc.

2) Very user friendly- uses colour coded information fields, dividers after JMP opcodes in a disassembly, and a well implemented set of monitor commands.

3) Uses the Software Break Vector the way it should be used. CSMON resides in the standard \$C000-\$CFFF area.

There are 22 single-character commands. In the following list whenever parameters are needed, xxxx indicates a single starting address in hexadecimal is required, such as in a Disassemble command, while <start> and <end> indicate a range of addresses, such as in a Save or Hunt command.

Other important parameters such as <byte> are indicated within "<>" symbols.

X: Exit. SYS 49152 or I xxxx: Interrogate memory from

STOP/RESTORE to reenter the monitor.

R: List 6510 registers on entry. D xxxx: Disassemble code from xxxx. D: Disassemble code starting from previous line.

M xxxx: Memory dump from xxxx. M: Memory dump starting from previous line. ESCAPE (LEFT ARROW KEY): Cycle through memory map configurations- location \$01 cycles through \$30 to \$37.:: Set Bytes, e.g. : xxxx 00 01 01 00 ff. Set ASCII pattern, e.g. [xxxx "Read Me!".<: Set screencode pattern. E.g. < xxxx "Read Me".

F: Fill area of memory. E.g. F <start> <end+1> <byte>.

T: Transfer memory. E.g. T <start> <end> <destination>. Overlapping transfers are handled properly.:: Assemble code. E.g. : xxxx LDA #\$00. A xxxx: Assemble code from indicated address.

J xxxx: Jump to routine. If the routine ends with RTS, control is handed back to the monitor. If a BRK ends the routine a Software Break occurs and default colours are set before control is handed back to the monitor.

Commodore
Network

xxxx.I: Interrogate memory starting from previous line.@: DOS command. E.g. @ reads the error channel, @\$ loads a directory to the screen.

L: Load file. L "filename",<device>,xxxx. E.g. L "Routine V6",08,1000 will load the file to location \$1000.


S: Save memory. S "filename",<device>,<start>,<end+1>. E.g. S "Routine V7",08,1000,2000 will save memory from \$1000 to \$1FFF to device #8 under the filename "Routine V7".

H: Hunt for byte pattern. H <start>,<end+1>,<byte>,<optional byte>..... Up to two lines of bytes can be entered for the search.

\$: Convert Hexadecimal to Decimal and Binary. E.g. \$ A, E.g. \$ 10B.K: Memory dump and Interrogation of I/O and Jump Vector areas \$D000-\$D02F, \$DC00-\$DC0F, \$DD00-\$DD0F, \$0300-\$0337.P: List all commands.

*: Unknown command. Hmmm, it seems its only use is to crash the monitor?

I would prefer having CSMON residing in my Action Replay cartridge rather than the one supplied, and the fact that CSMON is software based is the only factor detracting from its appeal and utility value. If you have a cartridge based assembler, keep using it, if not, or you like to experiment with illegal opcodes, then check out CSMON, it is an excellent addition to any programmer's utility collection, and is probably the best Machine Language monitor currently available for the Commodore 64.



64Net

To the owners and users of both a PC and a Commodore 8-bit machine, the incompatibility of the two separate systems has always been a frustrating point.

Why should thousands of dollars be spent on an imported C64 hard drive when there are megabytes of storage space lying idle within the PC?

Why is it necessary to hunt through hundreds of trading post advertisements to find a second-hand 1581 drive whilst the 3.5" drive on the PC simply gathers dust?

If you've ever asked such a question, then a new product from South Australia is emerging which can solve all of these problems and do much more.

64NET, the brainchild of Paul Gardner-Stephen, is a hardware-software package which connects a Commodore 8-bit computer to a PC and allows the former machine to utilise the peripherals of its counterpart - hard drives, floppy drives, and even printers.

The basic premise behind 64NET is a simple one: the two systems are connected by a custom cable and each runs a small program to access the interface.

The installation of the cable is a relatively easy matter, achieved by connecting it to a printer port on the PC and the user port on the Commodore. The next step is to prepare the server program on the PC.

A menu-driven installation program is easy to use, and once this is completed a configuration menu is displayed. This enables the user to select or ignore options such as burst loading, a setting which increases the load speed on a 128 or - if you are one of an elite group - a C65, and virtual mount, which allows the GEOS system to access a collection of disk images from a device such as a CD-ROM as though they were present on a RAMLink, a RAMDrive or a CMD hard drive.

Throughout the configuration program, a bottom ruler enables quick reference to the necessary commands.

One point to remember is to press "s" in order to save the changes made for the particular system, as otherwise the program will revert to its default settings.

After the program has been configured, it progresses to the main screen which is split up into a number of different windows,

**Commodore
Network**

displaying items including Status, Current Operations, Registration, and a larger box which can show DOS messages, System Performance, User Status, User Directories, Client Types and Mounted Volumes.

This can be left on to monitor the operation of the link, or it can be run in the background as another person uses the PC for their own ends whilst the Commodore user accesses the peripherals.

Once the server program has been established on the PC, the third part of the interface is brought into play by turning to the Commodore and loading a wedge called 64NET* which brings up a screen similar to that of the normal BASIC system. This allows the user to assign a device number to the PC's hard drive, or any of its floppy drives.

From here any material can be transferred between the two machines - Commodore programs can be stored on the hard disk of the PC and accessed without needing to transfer them back to a Commodore disk.

Similarly, printing can be done from a program on one computer to a printer connected to the other, saving the time and space required to move such an often large peripheral. The program is a type of IRC clone, and a simple BASIC routine can be entered which will divert the Commodore directly to the 64NET

screen when it is turned on.

GEOS

Of course, one area in which this product will create a great deal of interest is that of GEOS. In order to run GEOS in tandem with 64NET an REU is required and the GEOS disk must be prepared beforehand by adding to it a number of 64NET drivers.

A new partition on the hard disk can then be created - however, it must be similar to the size of either a 1541, 1571 or 1581 disk.

The mere prospect of suddenly having an entire 240 megabyte hard drive at its disposal is sadly too much for the average GEOS desktop to handle.

One of the most notable benefits of such a system can be measured in terms of speed. For example, GEPaint pages accessed directly from the hard disk take less than a second for a full screen 8K page to load.

Whilst such phenomenal increases in speed are decreased when the server program on the PC is being run in the background, they are still of such an extreme order to bring a huge smile to the face of many a painting enthusiast.

For the more technically minded, the transfer of data from a PC hard drive to a straight C64 is somewhere in the

region of 10K characters per second, and this increases even further on a C128 or C65, which can interface at up to 26K characters per second.

64NET is definitely a major breakthrough for owners of both a Commodore and a PC, enabling them to maximise the usage of their peripherals.

An easy, cheap alternative to international mail orders, it allows users to reap the speed and accessibility benefits of hard drive storage whilst also improving space efficiency.

Not all non-GEOS software will work on the current beta-version, but the serial version coming soon will greatly increase compatibility.

Paul Gardner-Stephen has created a very slick package using his local talents, and at less than \$100 this should be one of the best-selling Australian Commodore products of all time.

The PD version can be picked up off most Bulletin Boards or from C.N.P.D. Registered and/or the latest versions can be obtained from the following sources:

Paul Gardner-Stephen	Russell Alpey
1 Hurst St.	439 Punt Rd
Morphettville	Richmond
S.A. 5043	Vic. 3121

EUROPE


Performance Peripherals
Sorry, no address available at time of going to press.

Online Support

Sydney		Adelaide	
Way Out West	02 9628 8888	Fishbowl	08 277 1361
Space Station	047 742 252		
Melbourne		Brisbane	
GeoZ	03 9803 6498	Pinnacle	07 3341 9560
Talisman	059 444 061		

All BBS systems are 24 hour access

Commodore Network



FLPT MATH

Editor's Note: In Marc's own words, this is a MONSTER article. It is, however, probably the most thoroughly documented article on the use of the BASIC ROM floating point math routines ever attempted and, as such, deserved inclusion in its entirety within a single issue. The article lists EVERY major ROM math routine, including ALL entry points, and is, I'm assured, completely error free. It should prove an invaluable reference source for ML programmers on the Commodore 64.

The C64's BASIC is limited, which is one of the reasons why many of us have had to resort to learning machine code. The lack of graphics commands reduces any program that uses bitmap mode to a crawl, due to the mass of POKES, PEEKS and formulae needed to just plot single pixels to the screen.

Most BASIC graphics extensions allow BASIC to pass parameters such as COLOUR and X/Y coordinates to a machine code routine which then does all the hard work of calculating and drawing.

The simplest way to pass these parameters to a machine code routine is via the SYS command. You've probably come across this sort of thing - SYS 49152,A,B. Well, the machine code routine at 49152 (\$C000) uses the BASIC Interpreter's own routines to convert the supplied parameters (variables A and B in this example) into something your own MC routine can handle.

Here's how it's done- The SYS call

passes control to your machine code routine. A reserved Zero-Page pointer at \$7A/\$7B, named TXTPTR, contains the address of the current byte of BASIC program text (at this point, the "2" in "SYS 49152"). There are two ROM routines we can use here, one at \$AEFD which increases TXTPTR and checks for a comma, and one at \$B79E which increases TXTPTR and evaluates a numeric expression which is in the range 0-255 then puts it into the X-register. It just so happens that near the end of another ROM routine, at \$B7F1, the instructions JSR \$AEFD:JMP \$B79E occurs, saving us some typing.

Providing that the two parameters are always integers between 0 and 255 our routine at 49152 might start off with something like this:

```
JSR $B7F1
STX NUMBER1
JSR $B7F1
STX NUMBER2
```

...If a parameter needs to be a larger 2-byte integer (between 0 and 65535)

then the following code is needed-
JSR \$AEFD ;skip comma

JSR \$AD8A ;Evaluate numeric expression, then put it into floating point accumulator #1.

JSR \$B7F7 ;Convert the number in the flpt accumulator to a 2-byte integer in \$14/\$15 and (A/Y).

And that's that! After using the numbers to plot a pixel or whatever, a simple RTS will return control to BASIC which will continue onto the next BASIC instruction after the SYS. But what was that floating point accumulator thingie I mentioned?

FLOATING POINT MATHEMATICS

Some of the most underutilised features of the 64's operating system are its floating point (flpt) mathematics routines. These ROM-based routines give reasonably accurate results and are easy to use although suffer from being a bit slow.

There will be times when accurate floating point mathematics operations are preferable over faster but less accurate integer-based routines, or the use of memory consuming precalculated data tables.

For example, the ROM based flpt routines could be used for multiple math operations where fractions will be produced, the scaling of graph coordinates, or programs requiring a text screen display in which double precision numbers are needed (currencies, temperatures, etc.).

Another use could be to generate precalculated sine tables for use in demos and games. In previous programming columns we have used BASIC programs (yuerck!) to

**Commodore
Network**

generate sine tables, but never again! Hurrah!

THE FLOATING POINT ACCUMULATORS

The BASIC interpreter uses two Floating Point Accumulators (fac) residing in Zero-Page RAM for all of its math operations. The results of calculations are stored in the first fac (FAC#1).

Where two numbers are used in an operation, such as division, both facs are used. Each fac consists of 6 bytes of ZP RAM, the first byte holds the exponent, the next 4 the mantissa, and last byte the sign.

FAC#1 resides at \$61-\$66, the functionally identical FAC#2 is at \$69-\$6E. All major ROM routines and reserved Zero-Page memory locations in the C64 have names of no more than six characters, conforming to the MOS Technologies 6502 Assembler label specifications.

You may be familiar with some of the more common Kernal routine labels (\$FFD2 = CHROUT, \$FF9F = SCNKEY, etc.), and it's no different way back down in Zero-Page.

FAC#1 is referred to in most textbooks as "Bruce", er, I mean FAC (I really should get out more often) and FAC#2 is referred to as ARG.

The three parts of the facs also have names, the exponent, mantissa and sign of FAC are named, respectively, FACEXP, FACHO and FACSGN. ARG is similar- ARGEXP, ARGHO and ARGSGN.

The six individual bytes in FACHO and ARGHO are suffixed with a number, e.g. FACHO1, FACHO2,

etc.

Okay, the next section is for those masochists who want to know more about the format of a flpt number in the facs. It's not really essential to know because only the ROM math routines need to work with numbers that are in flpt format.

A flpt number comprises 3 parts: Mantissa, Exponent and Sign. The mantissa is the "normalised" value (between 1.00000 and 1.99999). The exponent is a power of 2. When the mantissa is multiplied by 2 raised to the power of the exponent the result is the actual value of the flpt number.

The sign is indicated by a #\$00 if positive, a #\$FF if negative. For example, the actual value 8 would have a fac format of 1.00000 for the mantissa, an exponent value of 3 and sign would be 0, thus $2^3 \times 1.00000 = 8$ (unsigned).

In order to take into account negative numbers #\$81 is added to the value in FACEXP. #\$80 represents 0, #\$81 (2 to the power of 0) = 1, #\$82 (2 to the power of 1) = 2, #\$7F (-2 to the power of 0) = -1, etc. When the value in FACEXP indicates a zero number (\$#80) the mantissa and sign are ignored by the BASIC interpreter.*

Non-computer nerds can rejoin us at this point. To recap, FAC resides in the 6 Zero-Page bytes from \$61-\$66.

\$61 holds the exponent (FACEXP), \$62-\$65 the mantissa (FACHO) and \$66 the sign (FACSGN). ARG, also known as ARG, is located from \$69-\$6E. The format of ARG is the same as that for FAC. ARGEXP=\$69, ARGHO=\$6A-\$6D and ARGSGN=\$6E.

Most of the BASIC ROM routines are self contained and have multiple points of entry. Take, for example, a

BASIC line such as 10 A=SIN(V). The BASIC Interpreter has to place the value of the variable V into FAC, call the SINE routine at \$E26B which will place the result of the operation into FAC, after which the value will be placed into the variable V.

So, if in our own machine code program we can somehow put a flpt number into FAC, all we then have to do is call \$E26B to calculate the SINE of that number.

PUTTING A NUMBER INTO FAC

To put a number into FAC we must first provide the number in a format recognisable by one of the BASIC interpreter flpt conversion routines.

There are some methods we can use to put a number into FAC. The first method is to provide an ASCII text string, such as "4.831", by changing the TXTPTR vector at \$7A-\$7B to point to the first byte in RAM of the ASCII text and then calling \$BCF3, which converts the text to a number in FAC.

The second method is to load the Accumulator (A) and Y register (Y) with a (hi/lo format) two byte signed integer and call \$B391, which converts the integer to a flpt number in FAC.

The signed integer ranges from -32768 to 32767, an actual 2 byte value between 0-32767 will be positive, a value greater than 32767 (\$7FFF) will be negative, so the value 65535 (\$FFFF) will, when considered as a signed integer be equal to -1.

The third method is similar, load the accumulator with a one byte signed integer (\$7F=127, \$80=-128, \$FE=-

**Commodore
Network**

2, etc.) and call \$BC3C to have the number converted into a flpt value in FAC.

The fourth method is to have a flpt number in the 5-byte BASIC variable format (a "floating point variable") stored in RAM and a call to \$BBA2 to decompact and restore the flpt variable to the FAC.

This last method won't be of much use except to recall temporarily stored flpt numbers back to the FAC, or load one of the reserved flpt constants located in various areas of ROM.

The BASIC Interpreter's math and flpt handling routines are multipurpose, and a single routine may have several entry points, each used by different parts of the interpreter. As long as the entry requirements are met (preloaded registers and Zero-Page locations) then the routines will work fine when used by our own programs.

Operations such as addition and multiplication need both facs, plus some simple setups before the operation is called. ARG is the fac that math operations act on. For example, during a division, the number in ARG would be divided by the number in FAC and the result, as always, will be placed in FAC.

For operations that use both facs, such as +, -, * and /, the following setup must be carried out-1) The Sign Comparison flag at \$6F (ARISGN) must be set by EORing the two facs' signs.

EXAMPLE:

```
LDA $66:
EOR $6E:
STA $6F.2
```

(A) must be loaded with FAC

exponent.

EXAMPLE:

LDA \$61. This setup is required because entry points several instructions past the beginning of the ROM math routines are used. Let's examine the first part of one of these math routines - the division routine:

\$BAFE (DIV10): Divide FAC by 10
This routine copies FAC into ARG, sets up pointers to the flpt constant in ROM and enters the following divide routine.

```
JSR $BC0C ;copy FAC to
ARGLDA #
```

```
$F9LDY #$BA ;$BAF9=ROM
location of flpt constant 10
```

```
LDX #$00 ;sign comparison result
*****
```

\$BB07 (FDIV): Divide ARG by the flpt number at the address pointed to by (A/Y) FAC = ARG/flpt constant at (A/Y). On entry A/Y (lo/hi) must point to a flpt variable and (X) hold the sign comparison result byte. The flpt variable is then loaded into FAC using a routine at \$BBA2, then the main divide routine entered.

```
STX $6F
```

```
JSR $BBA2
```

```
JMP $BB12*****
```

\$BB0F (FDIVT): Perform divide

FAC=flpt constant at (A/Y)/FAC. On entry (A) must hold FACEXP (LDA \$61). The sign comparison result (ARISGN at \$6F) should also be set up on entry.

```
JSR $BA8C ;Load ARG with flpt
at (A/Y)
```

\$BB12: This is the main entry point.

```
FAC=ARG/FACBEQ $BB8A
;check for division by zero error.
```

```
JSR $BC1B ;round
FAC[...division code...]
```

So, discounting the divide-by-10 routine, there are three entry points to the BASIC ROM division routine, each requiring different setup procedures.

The following program shows an example of using the flpt ROM routines to load FAC from two different sources, do some division, and then print the results to the screen.

Please note that the comments and explanations immediately follow those sections of code they refer to.

The sourcecode was written using the "6510+ Assembler". Accumulator, X and Y registers are referred to as (A), (X) and (Y) respectively.

```
1000 *=$C0001010 ;
1020 JMP MAIN
1030 ;
1040 FLPDIV LDA $66
1050 EOR $6E
1060 STA $6F ; Set sign compare
1070 LDA $61 ;(A) loaded with FAC
exponent
1080 JMP $BB12 ;Divide. FAC=ARG/FAC
1090 ;
1100 FLPVTEXT TXT "4.831"
1110 BYT 0
1120 BYT 0,0
1130 COUNTER BYT 0 ;FLPVTEXT is a
standard ASCII text string.
```

The following zero byte is the text terminator, the next two zero bytes simulate the end of a BASIC line to stop the ROM routine which converts the text from wasting processor time reading in the following machine code "garbage". Counter is used by the main loop.

```
1140 ;
1150 GETFLPV LDA #<FLPVTEXT
1160 STA $7A
1170 LDA #>FLPVTEXT
1180 STA $7B
```

**Commodore
Network**

1190 JSR \$0079
1200 JMP \$BCF3

To convert our text into a number in FAC we use the routine at \$BC3F (FIN). The BASIC text pointer at \$7A/\$7B (TXTPTR) must point to the beginning of the text and (A) loaded with the first ASCII text byte by calling \$79 (CHRGOT). The routine at \$BCF3 evaluates the string (including characters such as +, -, ., E etc.,) and places the result in FAC. Just a few words on CHRGET.

CHRGET is a routine at \$73-\$8A, and is in fact probably the most important part of the BASIC Interpreter. The purpose of CHRGET is to find the next byte of BASIC text from either the input buffer (\$0200-\$0258) or from BASIC text. Immediately after the code which increments TXTPTR is the entry point CHRGOT at \$79 which reads the current byte of BASIC text, starting with an LDA \$xxxx command. Yes, self modifying code, which explains why this routine is immediately downloaded to RAM when the C64 is switched on, it won't work in ROM.

On exit from this routine (A) holds the byte of text read, and the Carry Flag is cleared if the byte is a decimal number (between ASCII codes #\$30-\$#39) else carry is set. Likewise, if a text terminator, either end-of-line (\$#00) or a colon is found then the Zero Flag is set.

Most Wedge type programs such as those which add DOS or BASIC commands modify this routine.

1210 ;
1220 PRINTFLP JSR \$BC1B ;First, the number has to be rounded by one bit. Routine name is ROUND.
1230 JSR \$BDDD ;FAC=A/Y-ASCII\$ AT \$100;The routine FOUT converts the flpt number in FAC to an ASCII string terminated by a zero, starting at \$0100. The

contents of FAC are destroyed during the conversion. On exit, (A/Y) points to the start of the string.

1240 JSR \$AB1E ;PRINT \$, TERMINATOR=0;STROUT, at \$AB1E, prints an ASCII string, terminated with zero, pointed to by the contents of (A/Y) which hold the low and high bytes of the location address.

An entry point at \$AB24, although of no use to us in this program, is still of interest. Before calling, put the length of the string to be printed in (A) and start address of the string in INDEX1 at \$22/\$23 (standard lo/hi format). INDEX1 is part of the INDEX group of workspace bytes at \$22-\$25. INDEX2 is \$24-\$25.

1250 LDA #13
1260 JSR \$FFD2
1270 LDA #13
1280 JMP \$FFD2;Two blank lines are printed by using the CHROUT (\$FFD2) routine. To use CHROUT, load (A) with an ASCII byte and call \$FFD2.

1290 ;
1300 MAIN LDA #0
1310 STA COUNTER;Initialise counter
1320 JSR GETFLPV;Put a number in FAC
1330 JSR PRINTFLP;Then print it
1340 LOOP LDX COUNTER
1350 LDA NUMTAB1,X;Load (A) with a number from the table
1360 JSR \$BC3C;To convert (A) to a flpt number in FAC we are using an entry point in the SGN (\$BC39) routine.

1370 JSR \$BC0C;FAC is copied into ARG by using the routine MOVAF. Some data is lost as FAC is rounded before being copied. Don't worry, the rounding is on the smallest possible fraction and won't be noticed.

1380 LDX COUNTER
1390 LDA NUMTAB2,X;The divisor is fetched from its table.

1400 JSR \$BC3C;Then converted to a flpt number in FAC.

1410 JSR FLPPDIV
1420 JSR PRINTFLP;Divide ARG by FAC then print result.

1430 ;
1440 INC COUNTER
1450 LDA COUNTER
1460 CMP #5

1470 BNE LOOP;Loop till five numbers have been calculated and printed.

1480 RTS

1490 ;

1500 NUMTAB1 BYT 10,10,10,114,255

1510 NUMTAB2 BYT 5,1,2,4,31520

;RESULT= 4.831,2,10,5,28.5,-

.33...;NUMTAB1 numbers will be divided by the corresponding numbers in NUMTAB2. The comment in 1520 shows what the six printed numbers should be when the assembled code is run.

The following is a list of the major ROM routines concerning the SYS command and floating point mathematics. The first group of routines are for use when using machine code in conjunction with BASIC's "SYS" command. Those in the second group are for printing floating point numbers and the contents of the floating point accumulators. The rest of the routines are for use with flpt maths.

The basic format is-

- 1) *** GROUP HEADING ***
- 2) Official name or entry point, followed by ROM Address in hex.
- 3) Brief description of function.
- 4) Any SETUP procedures needed by the routine.
- 5) A complete description of the routine plus examples and extra notes if necessary.

BASIC ROM ROUTINES LISTING

*** SYS Input ***

FRMNUM: \$AD8A

FUNCTION: Confirm expression.

DESCRIPTION: Sets up internal flags before the main expression evaluation routine, FRMEVL (\$AD9E), is entered. Use this routine to evaluate any BASIC text expression which is expected to be anything other than a 1-byte integer.

EXAMPLE:

SYS 49152,A*320+(B+C).

**Commodore
Network**

If our code at 49152 (\$C000) starts with

JSR \$AEFD:

JSR \$AD8A:

JSR \$B7F7

the following occurs-

- 1) A comma is tested for and found.
- 2) The expression after the comma is evaluated and placed in FAC.
- 3) FAC is converted into a 2-byte integer which is placed in \$14/\$15 and (A/Y).

Entry point in CHKCLS (\$AEF7):
\$AEFD

FUNCTION: Confirm comma.

DESCRIPTION: Check if the current byte of BASIC text is a comma. if not, a ?SYNTAX ERROR occurs. Use this to divide expressions when receiving multiple values from a modified SYS command.

EXAMPLE: SYS 49152,x,y.

Test for a comma before receiving the x and y value.

GTBYTC: \$B79B

FUNCTION: Evaluate text to one byte in (X).

DESCRIPTION: The CHRGET routine (\$73) is called, then the numeric expression pointed to by TXTPTR is evaluated, placed in \$64/\$65 (hi byte always=0) and confirmed, an error message (?ILLEGAL QUANTITY) is given if the value is not in the range 0-255.

(X) is loaded with the result from \$64, and (A) loaded with the current byte of BASIC text.

GETNUM: \$B7EB

FUNCTION: Get parameters for POKE and WAIT.

DESCRIPTION: The expression in text is evaluated and confirmed numeric. The first parameter is converted to a 2-byte integer in \$14/\$15 (LINNUM) and the second parameter converted to a single byte integer in (X). If a WAIT command contains a second 1-byte parameter the routine is reentered at \$B7F1.

EXAMPLE: SYS 49152,8000,5. If a machine code routine at 49152 (\$C000) calls \$B7EB then the value 8000 will be placed at \$14/\$15 and (X) will be loaded with 5.

Entry point in GETNUM: \$B7F1

FUNCTION: Test for comma, load (X) with value.

DESCRIPTION: Only two instructions at this point in GETNUM. JSR \$AEFD tests for a comma, and JMP \$B79E which converts an expression in BASIC text to a single byte integer in (X).

GETADR: \$B7F7

FUNCTION: Convert FAC into 2-byte integer in \$14/\$15.

SETUP: FAC must contain a positive number below 65536.

DESCRIPTION: FAC is converted into a 4-byte integer, the lower 2 bytes are put into LINNUM (\$14/\$15). On exit (Y/A) contains the lo/hi bytes of the value.

*** Screen Output ***

STROUT: \$AB1E

FUNCTION: Print ASCII string.

SETUP: (A/Y) points to the address of an ASCII string terminated with a zero.

DESCRIPTION: This is BASIC's main string output routine. The string is output to the current output device (usually the screen).

Entry point in STROUT: \$AB24

FUNCTION: Print ASCII string.

SETUP: INDEX1 (\$22/\$23) holds the string address. (A) holds the length of the string.

DESCRIPTION: An ASCII String is output to the current output device. The string does not need a terminating zero.

Entry point in INPRT (\$BDC2):
\$BDCD

FUNCTION: Print integer(A/X)

SETUP: (A/X) must hold a 2-byte unsigned integer. (0-65535).

DESCRIPTION: This is part of INPRT, the routine which prints the "IN ????" part of a BASIC error message. (A) and (X) are stored in \$62/\$63 (the FAC Mantissa) and the entry point at \$BC49 is used to convert the integer to a flpt in FAC, then FOUT is entered at \$BDDF to convert FAC to an ASCII number. The first character (a space or minus) is necessarily suppressed (via a clever piece of coding) by placing it into Zero Page location \$FF, the rest of the string starts at \$0100. Finally, the string output routine at \$AB1E is called.

FOUT: \$BDDD

FUNCTION: ASCII string=FAC

SETUP: FAC must be rounded. Example. JSR \$BC1B (ROUND).

DESCRIPTION: The flpt number in FAC is converted to an ASCII string starting at \$0100. This is a reserved area of memory at the low end of the

**Commodore
Network**

stack. The string is terminated with a zero byte. The contents of FAC are destroyed in the process. On exit (A/Y) points to the start of the string. NOTE: The BASIC string output routine at \$AB1E can be used immediately after this routine (no setup is required).

*** Loading the facts ***

FACINX: \$B1AA

FUNCTION: integer(A/Y)=FAC

SETUP: FAC must hold a flpt number between -32768 and +32767 else an ?ILLEGAL QUANTITY ERROR will occur.

DESCRIPTION: FAC is converted into a 2-byte signed integer between -32768 and +32767 at \$64/\$65. The integer is then loaded into (A/Y). FAC is destroyed during this operation.

GIVAYF: \$B391

FUNCTION: FAC=integer(A/Y)

SETUP: (A) and (Y) must hold the low and high bytes of a signed integer between -32768 and +32767.

DESCRIPTION: Converts a 2-byte integer into a flpt number in FAC.

Entry point within POS (\$B39E): \$B3A4

FUNCTION: FAC=Positive Integer(Y)

SETUP: (Y) must contain a value between 0-255.

DESCRIPTION: There are only two instructions in this routine- LDA #\$00:BEQ \$B391. Since (A) is always 0, the (A/Y) number passed to the GIVAYF routine will always be a positive integer between 0 and 255.

MOVFM: \$BBA2

FUNCTION: FAC=flpt var(A/Y)

SETUP: (A/Y) must hold the lo/hi bytes of the address of a flpt variable.

DESCRIPTION: (A/Y) is stored in INDEX1 (\$22/\$23) and from there (\$BBA6) the routine unpacks the flpt variable into FAC. Entry point in MOV2F (\$BBC7): \$BBD4

FUNCTION: flpt var(X/Y)=FAC

SETUP: (X/Y) must hold lo/hi of address where FAC is to be stored.

DESCRIPTION: There are four entry points in MOV2F, of which only this one is of much use to us. The routine stores FAC as a 5-byte flpt variable starting at the address pointed to by (X/Y).

MOVFA: \$BBFC

FUNCTION: FAC=ARG

DESCRIPTION: ARG is copied into FAC and sets FACOV to 0, thus rounding off FAC very slightly.

MOVAF: \$BC0C

FUNCTION: ARG=FAC

DESCRIPTION: FAC is rounded, then is copied into ARG.

Entry point in SGN: \$BC3C

FUNCTION: FAC=(A)signed

SETUP: (A) must hold a signed integer.

DESCRIPTION: (A) is converted into a flpt number in FAC.

Entry point in SGN (\$BC39): \$BC49

FUNCTION: FAC=integer(\$62/\$63)

SETUP: \$62/\$63 must hold an unsigned integer. (X) must hold

#\$90, while the Carry Flag indicates the sign- SET=positive, CLEAR=negative.

DESCRIPTION: Located in the middle of SGN, a routine which returns the sign of a number in FAC as an flpt number in FAC (-1,0 or 1), this entry point converts an integer located in the first 2 bytes of FAC's mantissa (FACH01/FACH02) into a flpt number in FAC.

FIN: \$BCF3

FUNCTION: FAC=ASCII string(TXTPTR)

SETUP: TXTPTR (\$7A/\$7B) must point to an ASCII string terminated with 0. (A) must hold the first byte of text in the string. To avoid possible BASIC pointer corruption, a further two zeros should be placed after the terminating zero.

DESCRIPTION: This routine evaluates a number which is in an ASCII string form and places it in FAC. The characters -, +, ., E, etc., are recognised.

NOTE1: The extra two zeros after the string terminator are only necessary if a reentry to BASIC mode will occur, as in a machine code subroutine called by BASIC.

NOTE2: To load (A) with the first text character, call the CHRGOT routine at \$0079 after setting TXTPTR.

EXAMPLE:

LDA #<TEXT:

STA \$7A:

LDA #>TEXT:

STA \$7B:

JSR \$0079 (CHRGOT):

**Commodore
Network**

JSR \$BCF3 (FIN).

*** Maths Operations ***

FADDH: \$B849

FUNCTION: FAC=FAC+.5

DESCRIPTION: .5 is added to FAC.

FSUB: \$B850

FUNCTION: FAC=MEM-FAC

SETUP: (A/Y) must point to address of a flpt variable.

DESCRIPTION: ARG is loaded with a flpt variable from an address pointed to by (A/Y). Then the following routine is entered.

Entry point in FSUB: \$B853

FUNCTION: FAC=ARG-FAC

SETUP: Sign comparison must be set by EORing \$66 (FACSGN) and \$6E (ARGSGN), then the result placed in \$6F (ARISGN). (A) must hold \$61 (FACEXP).

Example:

LDA \$66:

EOR \$6E:

STA \$6F:

LDA \$61

DESCRIPTION: FAC is subtracted from ARG, the result is placed in FAC.

NOTE: This routine simply reverses the sign of FAC before jumping to the addition routine at \$B86A.

FADD: \$B867

FUNCTION: FAC=MEM+FAC

SETUP: (A/Y) must hold the address of a flpt variable.

DESCRIPTION: ARG is loaded with a flpt variable pointed to by (A/Y), then the following routine is entered.

Entry point in FADD: \$B86A

FUNCTION: FAC=ARG+FAC

SETUP: Sign comparison must be set by EORing \$66 (FACSGN) and \$6E (ARGSGN), then the result placed in \$6F (ARISGN). (A) must hold \$61 (FACEXP).

Example:

LDA \$66:

EOR \$6E:

STA \$6F:

LDA \$61

DESCRIPTION: FAC is added to ARG, the result is placed in FAC.

NOTE: although the convention for setup is to load (A) with FACEXP immediately before calling the routine, either (X) or (Y) can substitute because the actual FACEXP contents are irrelevant, the routine only needs the ZERO FLAG set according to FACEXP due to a BNE instruction encountered at \$B86A, a necessary branch occurring if FAC and ARG are not equal. In practice though, use LDA \$61 where possible.

FMULT: \$BA28

FUNCTION: FAC=MEM*FAC. Perform multiply.

SETUP: (A/Y) must hold the address of a flpt variable.

DESCRIPTION: The flpt number pointed to by (A/Y) is put into ARG, then the following routine is entered.

NOTE: Within the ROMs are various flpt constants, such as PI. For

example, the 5 byte flpt constant pi (3.147...) sits at \$AEA8, so to multiply FAC by PI we merely load (A) with #\$A8 and (Y) with #\$AE then call \$BA28.

Entry point in FMULT: \$BA2B

FUNCTION: FAC=ARG*FAC

SETUP: Sign comparison must be set by EORing \$66 (FACSGN) and \$6E (ARGSGN), then the result placed in \$6F (ARISGN). (A) must hold \$61 (FACEXP).

Example:

LDA \$66:

EOR \$6E:

STA \$6F:

LDA \$61

DESCRIPTION: ARG is multiplied by FAC and the result placed in FAC.

DIV10: \$BAFE

FUNCTION: FAC=FAC/10

DESCRIPTION: FAC is copied into ARG and (A/Y) pointers are set, pointing to the flpt constant at \$BAF9 in ROM. The following routine is entered.

FDIV: \$BB07

FUNCTION: FAC=ARG/MEM.

SETUP: (A/Y) must point to a 5 byte flpt variable, and (X) hold the sign comparison result byte, \$61 (ARISGN).

DESCRIPTION: FAC is loaded with the flpt number at (A/Y) then the routine jumps to the entry point \$BB12 in the following routine.

EXAMPLE:

**Commodore
Network**

LDA #<VAR: onto the Stack, FAC is copied to ABS: \$BC58
 LDY #>VAR: ARG, (A) is restored then the FUNCTION: FAC=ABS(FAC)
 LDX \$61: Entry point in FIN: \$BD83 DESCRIPTION: A zero is put into
 JSR \$BB0F FUNCTION: FAC=ARG+(A)signed bit 7 of FACSGN, thus making FAC
 FDIVT: \$BB0F SETUP: (A) must hold a signed integer. FCOMP: \$BC5B a positive value.
 FUNCTION: FAC=MEM/FAC FUNCTION: (A)=comparison
 SETUP: (A/Y) must hold address of a flpt variable. (FAC:flpt var(A/Y))
 DESCRIPTION: A flpt number at an address pointed to by (A/Y) is loaded into ARG, then the following routine is entered. SETUP: (A/Y) must point to the address of a flpt variable.
 Entry point within FDIVT: \$BB12 DESCRIPTION: (A) and (Y) are put into INDEX2 (\$24/\$25) then the routine compares the flpt number with that in FAC. The result is returned in (A)-\$00=FAC=flpt var.
 FUNCTION: FAC=ARG/FAC \$01=FAC>flpt var.
 SETUP: Sign comparison must be set by EORing \$66 (FACSGN) and \$6E (ARGSGN), then the result placed in \$6F (ARISGN). (A) must hold \$61 (FACEXP). \$FF=FAC<flpt var.
 Example: After the STA \$24:STY \$25 is an entry point at \$BC5F, which is useful if a large number of values need to be compared, because INDEX2 can be directly loaded from tables, bypassing the need to use the (A/Y) setup. This routine doesn't destroy INDEX2.
 LDA \$66: \$61:JMP \$B86A. In other words, ARISGN is set, The Zero Flag is set according to the contents of FACEXP then an entry point in FADD is entered (\$B86A) to add FAC to ARG, the result is returned in FAC. This entry point (\$BD86) can be used to negate the need of the setup code needed before \$B86A is called.
 EOR \$6E: *** FAC Math Functions ***
 STA \$6F: INT: \$BCCC
 LDA \$61: ROUND: \$BC1B
 DESCRIPTION: ARG is divided by FAC and the result is placed in FAC. The extra setup is required dur to the start of FDIVT being bypassed when using this entry point. FUNCTION: FAC=rounded(FAC)
 Entry point in FIN (\$BCF3): \$BD7E DESCRIPTION: FAC is rounded by one bit. Some routines need FAC rounded as a setup requirement.
 FUNCTION: FAC=FAC+(A)signed SIGN: \$BC2B
 SETUP: (A) must hold a signed integer. FUNCTION: (A)=SGN(FAC)
 DESCRIPTION: A signed integer in (A) is added to FAC. This is a jump into the part of FIN where numbers are added together. (A) is pushed negative
 Example:
 LDA #\$11:
 LDY #\$BF:
 JSR \$B867 (FADD):

**Commodore
Network**

JSR \$BCCC (INT).

SQR: \$BF71

FUNCTION: $FAC = SQR(FAC)$

DESCRIPTION: FAC is copied to ARG, the ROM flpt constant .5 put in FAC then the following POWER routine is entered.

Entry point in SQR: \$BF78

FUNCTION: $FAC = SQR(flpt\ var(A/Y))$

SETUP: (A/Y) holds the address of a flpt variable.

DESCRIPTION: Loads FAC with flpt variable then continues into following routine.

FPWRT: \$BF7B

FUNCTION: $FAC = ARG$ to the power FAC.

SETUP: (A) must hold FACEXP (\$61).

DESCRIPTION: ARG is raised to the power of FAC, the result is placed in FAC.

NEGOP: \$BFB4

FUNCTION: $FAC = \text{negate}(FAC)$

DESCRIPTION: FAC is checked to see if it is zero, if not, FACSGN is reversed- positive into negative or negative into positive.

EXP: \$BFED

FUNCTION: $FAC = e$ to the power of FAC (probably).

DESCRIPTION: The flpt constant at \$BFBF, 1.44269504 (1/LOG to base 2 e), is raised to the power of the value held in FAC.

POLYX: \$E043

FUNCTION: Series evaluation.

SETUP: (A/Y) points to an address containing the number of constants in the series, which is followed by the series of 5-byte flpt constants.

DESCRIPTION: Series evaluation, used by SIN, LOG, ATN functions, etc.

COS: \$E264

FUNCTION: $FAC = \cos(FAC)$

SETUP: FAC value must be in RADIANS.

DESCRIPTION: Actually, this is $FAC = \sin(FAC + \pi/2)$. $\pi/2$ is added to FAC then the following routine is entered.

SIN: \$E26B

FUNCTION: $FAC = \sin(FAC)$

SETUP: FAC value must be in RADIANS.

DESCRIPTION: The SIN operation is performed on FAC, the result placed in FAC.

TAN: \$E2B4

FUNCTION: $FAC = \tan(FAC)$

SETUP: FAC value must be in RADIANS.

DESCRIPTION: The TAN operation is performed on FAC, the result placed in FAC.

ATN: \$E30E

FUNCTION: $FAC = \text{ATN}(FAC)$

DESCRIPTION: Returns ArcTangent of FAC in RADIANS.

Next month we will draw circles on a bitmap screen using nothing but the inbuilt floating point maths functions including SINE, examine BASIC's

USR function, and take a look at some graphics formats.

Any questions regarding machine code, or the acquisition of a copy of the excellent "6510+ Assembler" package can be sent to me directly at:

**32 Renfrew Crescent
EDGEWORTH
NSW 2285**

EDITOR'S NOTE: Source code for the FLPT primer routine in this article will be found on the "magazine" side of our next Disk-Coverer.

Loadstar

THE
Disk magazine for
C64/128 users

JDB SOFTWARE

Now has back issues of
Loadstar from #50
available!

PO Box 244
Warilla
NSW 2528

**Commodore
Network**

Hello Everyone.

Another column to wear down your fingernails, so without too much preamble we will start off with some more text tricks from the wonderful world of the 64.

SHAKING ALL OVER

```
10 POKE53281,0:PRINTCHR$(147);CHR$(153);
30 FORK=1TO55:PRINT"COMMODORE
NETWORK-";:NEXT FORDE=1TO600:NEXT
60 F=3:FOR R=0TO15 STEP F:POKE53270,R:
NEXT:REM F=(1TO7):POKE SHRINKS SCREEN
70 FOR R=15TO0 STEP-F:POKE53270,R:NEXT
80 FOR T=1TO3000:NEXT
100 POKE53270,PEEK(53270)OR8:
PRINTCHR$(147):END:REM
POKE/PEEK=NORMAL SCREEN
```

The VIC II chip allows us to put the 64 into a 38 column by 24 row mode(shrinks the size of the screen).

This mode is used when you want to scroll, and also for some of these routines. The smaller screen gives you a place to scroll your data from.

For 38 columns:-POKE 53270, PEEK(53270) AND 247

To return to 40 column mode:-POKE53270, PEEK(53270) OR 8.

For 24 row mode:-POKE 53265, PEEK(53265) AND 247

To return to 25 rows:-POKE53265, PEEK(53265) OR 8

```
110 REM EASY CENTRE PRINT
120 PRINTCHR$(147);CHR$(158):POKE53281,0
130 DEF FNA(X)=(40-LEN(M$))/2
140 PRINT"(10 down)":rem position of first line
150 M$="THIS IS THE FIRST LINE":PRINTTAB(FNA
(X))M$:rem just add M$="(string)" for each line you
need.
190 END
```

If you POKE 22,35 you will not have line numbers when you list: POKE 22,25 will get them back.

ROCKING TEXT

```
220 PRINTCHR$(147);CHR$(150):POKE53281,0
240 FORK=0TO30:PRINT"ROCKABYE TEXT-DONT
GOTO SLEEP-";:NEXT
270 FORLR=0TO7:
POKE53270,(PEEK(53270)AND248)+LR:NEXTLR
280 FORRL=7TO0STEP-1:
```

```
POKE53270,(PEEK(53270)AND248)+RL:NEXTLR
290 for time=1to 3000:next time
300 poke 53270,peek(53270) or 8: end
```

If your program has a save feature in it and you want to check out the directory without leaving the program, this next one will do it for you.

IN PROGRAM DIRECTORY


```
10 INPUT "SEE DIRECTORY (y/n)";D$:IF D$="Y"
THEN GOSUB 600:IF D$="N" then do something
else
14PRINT"PRESS A KEY"
16 POKE198,0:WAIT 198,1:GET K$
18 IF K$="" THEN RETURN TO WHERE YOU WANT
TO
600 PRINTCHR$(147);CHR$(5):POKE 53281,15
605 Q$=CHR$(34):OPEN2,8,0,"Q$:"
607 GET#2,A$:A$=(ST<0)-
2*(A$=Q$):ONAGOTO608,610,GOTO607
608 T=0:CLOSE2:RETURN
610 GET#2,A$:A$=
(A$=Q$):ONAGOTO612,B$=B$+A$:GOTO610
612 PRINTB$;B$="":GOTO607
```

Here is a nice little M/L APPEND program. The System Address is 828 at the moment, but by changing SA you can relocate it any where. As you will notice the program NEWs itself after running, so SAVE it before you use it.

Remember! The appended program line numbers must be higher than the one in memory.

```
900 SA=828:Q$=CHR$(34)
905 FORX=SATOSA+85:
READA:POKEX,A:NEXT
910 PRINTCHR$(147);CHR$(5):
PRINT"SYNTAX:=
SYS"SACHR$(157)CHR$(44)Q$"FILENAME"Q$
```

Bits & Pieces?



```
915 NEW
920 DATA32, 253, 174, 32, 115, 0, 166, 122,
164, 123, 134, 187, 132, 188
925 DATA232, 134, 183, 32, 115, 0, 240, 2, 208,
249, 165, 34, 164, 35
930 DATA183, 133, 183, 169, 8, 133, 186, 32,
51, 165, 166, 34, 164, 35
935 DATA 169, 0, 133, 185, 32, 213, 255, 176,
21, 134, 45,132,46,134
940 DATA47, 132, 48, 134, 49, 132, 50, 32, 51,
165, 160,106,32,47
945 DATA 241, 96, 72, 160, 0, 32, 47, 241, 104,
24, 105,48,32,210
950 DATA255,96
```

DEF FN

Defining and using functions. This is one that is used a lot in the Bitmap Routines. It can be used to allow your program to DEFINE a Function not otherwise available in Commodore Basic, when you need a sequence of calculations carried out without typing the whole thing out every time you need them. To use a function, you must first define what is going to do. For instance:-

120 DEF FNA(X)=4*X+36 defines a function called "A". The number that a function operates on is known as its ARGUMENT. This case is (X), which it then multiplies by 4, and then adds 36. If a program with an argument of 10, you would have this:-

```
200 PRINT FNA(10)
```

This would PRINT the value of the function which is: 4*10+36, or 76.

Commodore
Network

Once a function has been defined in a program, you can use it and its argument just like any other number or numeric variable. You can add, subtract, divide and multiply functions and their arguments together.

Here is a small program that puts the function to work to produce a numerical result which is then printed. It takes the distance of a star in light years and converts it into a distance in miles. The function in line 50 does the conversion multiplying the input number by 5.88.

STAR DISTANCE

```
10 PRINT CHR$(147):POKE 53281,0
20 POKE 214,5:PRINT
50 DEF FNC(L)=L*5.88
70 PRINT TAB(3)"ENTER STARS DISTANCE IN
LIGHT YEARS":PRINT:PRINT TAB(15)
80 INPUT L
90 PRINT
100 PRINT "THE STAR IS ";FNC(L);" THOUSAND
BILLION"
110 PRINT:PRINT TAB(10);"MILES FROM
EARTH":END
```

Lets go back to our Bitmap that we started last column. We have moved the Basic storage area to keep our program safe, and with lines 100 and 110 told the 64 to use the high resolution mode, and 8000 bytes of memory starting at 8192.

The subroutine starting at line 200 clears the screen by POKEing zero's into the 8000 bytes. Lines 220 and 230 are the instructions to go through 1000 bytes (1024 to 2023) to set each of the bytes with the variable COL. (colour). Having 1000 bytes of colour and 8000 bytes of pixel memory means each byte of colour memory controls the foreground and background colour for 8 bytes of pixel memory.

High Resolution colour codes are different from normal screen colour codes. In each byte of colour memory

BITS 4 to 7 control the foreground colour of an 8x8 pixel block, whilst BITS 0 to 3 control its background colour. By POKEing selected numbers into colour memory with the variable COL you create any fore and background colour you choose. Here is a list of HI-RES colour codes which are added together:-

COLOUR	F/GRD	B/GRD
black	0	0
white	16	1
red	32	2
cyan	48	3
purple	64	4
green	80	5
blue	96	6
yellow	112	7
orange	128	8
brown	144	9
l/red	160	10
d/grey	176	11
m/grey	192	12
l/green	208	13
l/blue	224	14
l/grey	240	15

If you want to draw in white on a red background, the combination would be 16+2, or 18

This is the reason clearing the screen is so slow. 9000 separate POKES. The only way to speed this up is to use Machine Code. No need to understand the code, but in place of Subroutine 2 type this, AND REMEMBER, SAVE SAVE SAVE BEFORE YOU RUN.

SUBROUTINE 2

M/L CLEAR BITMAP

```
1 GOTO 10
2 POKE 53272,PEEK(53272) AND 247
3 POKE 53265,PEEK(53265) AND 223
10 GOSUB 100
20 COL=18:GOSUB 200
30 END
100 POKE 53272,PEEK(53272) OR 8
110 POKE 53265,PEEK(53265) OR 32
120 RETURN
```

```
200 DATA 0,165,252,197,254,208,7,165
210 DATA 251,197,253,208,1,96,160,0
220 DATA 173,80,195,145,251,230,251
230 DATA 208,232,230,252,76,81,195
240 RESTORE:FOR C=50000 TO 50029
250 READ BYTE:POKE C,BYTE:NEXT C
260 POKE 251,0:POKE 252,4:POKE 253,232
270 POKE 254,7:POKE 50000,COL:SYS 50001
280 POKE 251,0:POKE 252,32:POKE 253,64
290 POKE 254,63:POKE 50000,0:SYS 50001:RETURN
```

SAVE before you run it in case of an error. In any case if you type RUN 2 (return) you will have your lo-res screen back, and if there is an error you can check your typing

Now we want to light up or turn off those pixels, and we have looked at Bit Masking earlier.

The bits are numbered horizontally from 0 to 319, and 0 to 199 vertically and these have to be linked to the bytes on the screen (8192-16191).

If you stored all the information for the complete screen, you would not have much memory left for anything else. We can avoid this with two equations.

One tells you which byte the pixel is in, given its co-ordinates, the second gives you a bit mask value. The bit masking takes these values and has them ready for the next subroutine. Here are the subroutines that will do it all for you. Just add them to the previous subroutine and SAVE them.

All subroutines will be number compatible with each other:-

SUB ROUTINES 3

```
300
BYTE=8192+INT(LY/8)*320+INT(LX/8)*8+(LYAND7)
310 MASK=2^(7-(LXAND7))
320 RETURN
```

SUB ROUTINE 4

```
400 GOSUB 300
410 POKE BYTE,PEEK(BYTE) OR MASK
420 CMEM=1024+INT(LY/8)*40+INT(LX/8)
430 POKE CMEM,COL
440 RETURN
```

SUB ROUTINE 5

```
500 GOSUB 300
```

**Commodore
Network**


```
520 POKEBYTE,PEEK(BYTE)AND(255-MASK)
530 RETURN
```

Save this set of routines (2-5), then all you will have to do is load them up and add programs to them.

Now after all that typing we will have to see them at work. Here is a simple line drawing program. Just rewrite the start of the program:-

DRAWING PARALLEL LINES

```
10 GOSUB 100
20 COL=18:GOSUB 200
30 FOR LY=80 TO 120 STEP 10
40 FOR LX=100 TO 220 : rem set the values
50 GOSUB 400 : rem the subroutine will calculate them
60 NEXT LX
70 NEXT LY
80 END
```


Just experiment with the values in lines 30-40 to get a better idea of what is happening.

Next column we will try some more complicated designs.

Happy Programming.

Kev.

Memory Management



The first in a series

RECONFIGURE

These days, with large software companies producing huge front end programs requiring up to 16MB of RAM, hardware suppliers are cleaning up as power users scramble to add yet another 4MB just to stay in the race. In light of this it would be easy to be fooled into thinking that a mere 64K was incapable of producing anything of worth at all.

Ask an IBM programmer to write a program like Geos, Project Stealth Fighter, Turrican or Shoot Em Up Construction Kit, then tell them "Oh by the way you only have 64K to work with" and stand back and watch as the panic sets in!

However, over the years C64 programmers have done all this, and a lot more. This has been achieved by basically working with the tools at hand.

The original designers of the C64 obviously had a good think about just how their technology might be used in future years - hardware sprites & smooth scrolling, a sophisticated sound chip, programmable disk drive - these are just a few of the powerful (& often unique) features of this innocent looking unit. Even with the

ready availability of these various goodies, Commodore 64 programmers need to be continually aware of the memory restrictions and tight & efficient programming is a must for any ambitious work.

In this series of articles I plan to take a look at some useful aspects of memory management for programmers.

Most examples are in common use and I have used them myself in various programs, and so I can recommend their efficiency.

Whenever possible examples will be in Basic, however they can easily be translated to Machine Code by those who work solely in this area. For the same reason all numerical data, memory areas, etc. will be in decimal rather than hexadecimal.

In this first article we'll take a look at

:SELECTING BANK 3

Bitmapped graphic screens use up a lot of memory - one such screen requires 8000 bytes. For this reason user designed characters are often used in graphic based C64 programs.

User designed characters can take advantage of repetition on the graphic screen.

Commodore Network



A wholly Australian produced publication.
Online access via
GeoZ BBS
(03) 9803 6498

Commodore Network
9 Wadeson Street
Cobram, Vic 3644

Commodore Network

For example the pattern of a brick wall can be attained by just designing one character as a brick & then using that same character over and over again.

The screen holds 1000 characters (40x25), so by using this method a graphics screen can be represented by just 1000 bytes, compared to 8000 for a bitmapped screen.

The mechanics of redesigning the Commodore 64 character set are well documented in many C64 books and magazines, and Character Designers abound in the Public Domain so I won't go into this here (Although later I might cover it briefly).

One major problem arises when using redesigned characters. The data for the new characters must be placed in an area where the video chip can see it and the video chip can only access 16K at a time.

On power up this 16K area is at Bank 0 (0-16383) so the character data cannot be placed above 16384. This puts it right in the middle of the Basic RAM area, severely restricting the growth of any Basic program.

However the video bank can be changed. There are 4 X 16K banks

available and the best bet is in this case Bank 3 (49152-65535).

By reconfiguring to Bank 3 the character data can be stored from 49152 on, outside of the Basic area and thereby solving the aforementioned dilemma.

The most common place in Bank 3 for character data (generally 2048 bytes for 256 characters) is 51200-53247. Hidden RAM could also be used - we'll discuss this in a future episode of this series.

A short BASIC routine will enable you to reconfigure to Bank 3 and move the current character set out of ROM (behind 53248) to memory at 51200.

RECONFIGURE TO BANK 3

```
10 BN=3
20 POKE 56334,PEEK(56334)AND254
30 POKE 1,PEEK(1)AND251
40 POKE 781,9:POKE 782,0:POKE 88,0
50 POKE 89,208:POKE 90,0:POKE 91,216
60 SYS41964
70 POKE 1,PEEK(1)OR4
80 POKE 56334,PEEK(56334)OR1
90 POKE 56578,PEEK(56578)OR395
POKE56576,(PEEK(56576)AND252)OR(3-BN)
100 POKE 53272,18
110 POKE 648,196
120 END
```

By way of explanation:

Line 10 - Establish Bank # (3 in this

Line 20 - Turn off timer

Line 30 - Access Character data through onboard I/O port

Lines 40-60 - This routine allows a fast transfer of the character data from 53248 Character ROM to its new home at 51200. It sets up and accesses a ROM memory move routine at 41964

Line 70 - Resets I/O Port

Line 80 - Enable Timer

Line 90 - Set Direction RegisterLine

95 - Tell the 64 it is now using bank 3

Line 100 - Tell the 64 the new position of the Character data

Line 110 - Tell the 64 the new position of the screen(I am putting together a support disk for this series and it will include all of the program examples and utilities described in these articles. More about this in a future article.)

Once this program is executed:

The screen is at 50176 The character set is at 51200

Sprite pointers are at 51192All sprite data must be at 41952 on.

In normal circumstances the screen is at 1024.

$49152+1024 = 50176$ so it is in the same place relatively speaking, as it was in bank 0.

The same applies with the sprite pointers, previously 2040 but now located at 51192 ($49152+2040$).

When the program is run, you will need to clear the screen because any data that was previously at 50176-

They're all here!

**Commodore Network
Commodore World
Commodore Cee**

Contact Warren Naismith for subscription details.

9 Wadeson St, Cobram, Vic, 3644

Tel: (058) 711 863

Fax: (03) 9803 6498

email: Comnet@cloud.apana.org.au



**Commodore
Network**

51175 will, of course, now be shown on the screen.

Any new character set you design will have to be loaded or poked into memory at 51200-52347.

After running the program, test it out by poking a 1 to the screen at 50176. The letter 'A' should appear at the top left of the screen.

So all you need to do to take advantage of this new configuration is design your new characters and load them in.

You will then have access to the redesigned characters plus all of 2048-40959 for Basic or Machine Code, and plenty of room here for any sort of data storage that is required. And you still have 49152-51199 free for any sprite data, machine code routines etc.

A very large percentage of C64 programs use graphics screens made up of redesigned characters, and in many of these cases Bank 3 is used, giving the programmer a large chunk of continuous free RAM for the working code of the program.


Next time we'll look at saving specific sections of memory to disk and loading data files into a running BASIC program.

'Till then keep pressing those keys !

Peter Boothman



Who's Who



In this issue of C.N., Andrew Gormly interviews up-and-coming C-64 tyro, Paul Gardner-Stephen.

CN: Paul, you're the author of 64NET, a program given much attention both here and overseas. How would you describe its function?

PGS: I guess basically it links a PC with a Commodore, meaning that you can use the peripherals of the PC for your Commodore. It means that instead of having to buy very expensive equipment you can buy an incredibly cheap PC and use its stuff - the only good reason for a PC.

CN: Where did the idea for 64NET first originate?

PGS: Back in 1991 when I had a Commodore 64 with no disk drive and a crappy XT.

CN: So you decided there and then to link the two?

PGS: Yes. The original version was very botchy - it basically just had save and load and that was it.

CN: How long did it take to complete 64NET to your satisfaction?

PGS: Well, it's not completed to my satisfaction yet! It's more like an ongoing process - as you're probably aware it's still a beta version. Some

things are working properly, some aren't, and the things that aren't working are those which I have to spend time on to fix.

CN: Obviously, any program - no matter how simple the author tries to make it - is going to cause some people difficulty in using it. Do you get many queries from users of 64NET?

PGS: Yes. Partly because the documentation is about as finished as what the program is, if not less, and Russell Alphey is writing the manual some eight hundred kilometers from here. He works full-time, so his time is a little bit limited as well.

CN: So is it difficult to have him writing the manual there and you writing the program here?

PGS: Only for him! It's easy for me, because I'm not that good at writing documentation. Apparently the German version of the manual is a lot better - they've actually done a review in a purely objective manner, and done it quite well.

CN: Are there any planned upgrades in the pipeline?

PGS: There are always planned upgrades. Normally there's a new version done about every fortnight,

Commodore Network

so that anyone who has a registered copy can download the latest one from my bulletin board.

CN: What other software projects are you currently working on?

PGS: Squeamix, which is a UNIX-like operating system for the 64 so that it will actually use language properly.

CN: And how did you first become involved with programming?

PGS: Basically games get a bit boring. Back at the first primary school I went to, it was in my second year that they got computers and they were C64s. My next primary school - Commodore 64s. Then on to high school - Commodore 64s! Incidentally, it wasn't until 1991 that I actually got a 64, even though I'd been using them since about 1985.

CN: So you first started programming at school?

PGS: Yeah - I was playing around with the computers and things happened from there.

CN: You're also working on some hardware items now, aren't you?

PGS: Always. That tends to get a bit limited by the finances though.

CN: Such as?

PGS: Well, an accelerator of sorts - I've got a few plans for that. Later this year a friend from the United States will be coming to Australia for a few months and we'll be working on some gear then. Between us we should be able to come with some hardware, as we should be able to come up with some money to finance it.

CN: You've been running Fishbowl BBS in South Australia for a while now - what prompted you to establish the system?

PGS: It's cheaper to run a bulletin board than it is to call one, and there weren't many Commodore support BBSs in the region. There's good old SA Country Club, and they're OK as they've got plenty of files, but the SysOp's philosophy of running a bulletin board was no maintenance, no maintenance, no maintenance. It works quite well considering that, but he doesn't go through and check files or anything like that. It was a bit of a gamble, but it's good to have the system up now.

CN: So does Fishbowl take up much of your time?

PGS: No! I've just adopted the policy of no support also, but not quite. The good thing is that I can direct the support, so the Commodore 64 section gets a lot of support, and the PC and Amiga sections - however small they are now - don't.

CN: You're also one of the privileged

Geos on your OTHER Computer


*If you like Geos on a C64
you'll love Geos on a PC!*

- Geoworks Ensemble is suitable for a computer with 286/386/486/Pentium CPU, 2 Megabytes of RAM, and at least 10 Megabytes of Hard Disk space.
- GeoPublish is the Shareware version of Ensemble for you to try before you buy.

• 2 Disks \$16.00

GeoZ BBS Mail Order
7 Falconer Street
Glen Waverley
Vic 3150

Tel: 018 58 15 58



**Commodore
Network**

owners of a Commodore 65. How did that happen, and what is your opinion of the machine?

PGS: Ah, I knew the right person at the right time. I got it sent in from Germany, and it's a very nice machine.

CN: And what does your current set-up look like?

PGS: Well, there's the two 64s set up normally. One of them has a 1541-II, a 1581, a 256K REU, a 2 meg RamDrive, Action Replay, Swiftlink cartridge, an Aprosand 4-port expander which is quite obviously full, and an Amiga 1081 monitor which works on the 65 as well. The other 64 is just the leftovers. It's a 64, a 1541, often the Action Replay. The 65 shares the 1081 Amiga monitor.

CN: I understand that you're also involved in the demo scene. How did that come about, and what sort of things do you do?

PGS: Not really anything major - I'm a member of Fairlight under the handle of Highlander, and my main function is to help with their wares and stuff on my bulletin board.

CN: And what do you think of the demo and programming scenes these days?

PGS: The demo scene has picked up in the last twelve months for the first time in the past four years. I think a lot of the people who went over to the Amiga are switching back, realising that it's a friendly scene, you don't have any tall poppy syndrome, and it's just a nice machine to program on. You don't have to fork out a fortune for expensive hardware, what works on one 64 will work on another without needing a 68040 or something like that. Yeah, they're realising that it may not be new, it may not be the fastest thing on the market, but it's a fun thing to program on.

CN: And what advice can you give to all of the Commodore users out there who are hungry for support?

PGS: Keep going, talk to each other - if you can, get a modem, and if you can, get an Internet account, because there are many FTP sites on the Net which have Commodore files. There's one which has about 600 Meg, and that's just one. You get a lot of support. You talk to a lot of

other people on the scene, you find out what's happening, and you get a lot of help. There was one guy just recently who was working on a 128 mod player who got a bit stuck, so he logged onto Internet RElay Chat, asked a few people, and it was as easy as that. Problems that otherwise wouldn't be solved now can be.

CN: So the Internet's the way forward then?

PGS: It's definitely a way forward. It's a good, cheap and easy way to keep in contact, and to make contacts all around the world, because snail mail just doesn't really help out there.

CN: And where do you plan to take your own Commodore future?

PGS: Squeamix is taking up much of my time at the moment, and hopefully there should be a beta out by the end of the year. I can't say too much about that in case it doesn't happen, but it's still definitely in the moulding stage. 64NET's still going to be happening and I'm working on a few new version of it at present, including one which will work over the Internet so that you can load from someone's hard drive in Finland. I've been playing with the interface. Also there's a form of 64NET that requires no wedge and that runs through the serial port, so that's all coming along well.

CN: Thanks for your time, Paul.

PGS: Pleasure.

C64 Public Domain

GeoPaint Pictures.....

Including: Adelaide and surrounds, Christmas Art, Sports, Transport, On Sydney Harbour, Australian Animals and Birds and Dinosaurs

Also available:

Special Events, Business World, Animals Birds and Insects, File Library, Font Bank Sampler disks with complete listings available for FILE LIBRARY and FONT BANK

Bankcard/Mastercard/Visa Chargecard facilities available

C64 Public Domain (SA)

Box 146, GPO, Adelaide, SA 5001

Tel: 08-294-8447 (After Hours only)

WOW!

**Commodore
Network**

NEW SOUTH WALES

1 Adult BBS	02-831-8058	VFC	MRV	Beyond Reality	02-484-4804	14400	MRV	Family Focus BBS	043-29-2240	14400	P
1 And Only BBS	02-418-2776	28800	P	Bible Believers BBS	02-809-3723	VFC	RL	Far West BBS	080-88-4685	28800	P
1 Awesome BBS	02-672-4011	28800	R	Biffrost BBS	02-528-2290	14400	MRL	File Warehouse	02-727-5199	VFC	MRV
#1 BBS	02-544-7123	VFC	MRL	BIG-TIME BBS	02-553-9685	VFC	MRL	Fire&Ice CBCS	02-665-9249	28800	RL
11th Hour BBS	069-31-4837	14400	Ltd	Bill's BBS	049-56-1221	28800	L	Flashpoint BBS	02-9958-3766	VFC	P
1616 System BBS	02-9971-8744	28800	P	Blade BBS	02-9957-3050	VFC	P	Flx0p BBS	063-32-2109	14400	RV
1st ACCESS TRAINING BBS	02-893-9541	VFC	P	BladeRunner BBS	043-42-5468	VFC	P	Freedom BBS	067-23-3028	V32t	MRV
2001 Computers BBS	02-9958-4855	VFC	MR	Blue Crystal BBS	045-72-0373	28800	P	Galen BBS	02-418-7897	VFC	MRL
3-Space	02-872-4133	VFC	MV	Blue Marlin BBS	047-76-1211	VFC	MRL	Gallifrey	02-820-7624	14400	RL
4th Dimension BBS	02-757-2898	14400	P	Blue Star BBS	02-456-2770	28800	P	Games Galore	042-57-3311	9600	MRV
500cc Formula One TBBS	02-565-1630	28800	R	Blue Velvet BBS	02-546-6335	14400	MRV	Gateway to the Guardian	049-57-7080	14400	RV
A CyberTech BBS	02-816-5479	28800	MR	Bob's BBS	066-24-4959	28800	P	Gemini Solutions BBS	047-32-1417	14400	P
A L P H A II	02-567-7166	V32t	MR	Bodgdy BBS	02-554-9076	14400	P	GNXS BBS	02-757-3322	VFC	MRL
Aardvark Computing Service	069-21-9937	V34+	RL	Borland BBS	02-9911-1024	14400	P	GNXS IBBS	02-757-4422	VFC	MRL
Abattoir BBS	02-9969-5806	14400	MRV	Brainstorm Computing BBS	02-427-1324	28800	P	Golden Wings BBS	02-603-6746	VFC	P
ABCOM-dataLINK!	047-36-4165	28800	MRV	Bronz BBS	02-832-8561	14400	ML	Harliquin BBS	02-743-1210	VFC	MRV
Above & Beyond BBS	02-567-1797	14400	RV	Brutal BBS	02-9985-9302	14400	P	Heaven's Door	02-415-6079	VFC	P
Access All Areas	02-894-5093	14400	P	BUDDHANET	02-212-3061	VFC	MV	Helping Hand	02-872-3571	VFC	RV
ACE BBS	02-898-0873	9600	ML	Budgewoi BBS	043-99-2590	14400	P	Hidden Place	067-92-4458	14400	P
Acegi BBS	048-85-1349	VFC	P	Buds'n'Stoot	02-869-0223	28800	P	HighTech	060-40-1911	PEP	RL
Active Fun Entertainment	02-584-1467	2400	P	BuGGeye BBS	02-584-8264	14400	RV	Holodeck 3	049-56-2605	14400	P
Adult Education BBS	02-665-2917	14400	MR	Bulletin Baud	043-32-3463	28800	P	Home Computing	02-809-4561	VFC	P
Adventurers Realm	02-809-0999	28800	MR	Buzzards Haven	067-72-1438	14400	P	Horizon BBS	064-95-7137	VFC	MRV
After Hours BBS	02-580-9419	14400	MV	Byte 1 BBS	046-26-3550	2400	P	Hot-Line	02-369-3244	28800	RV
AFX BBS	065-82-5504	VFC	P	C&S Electro-Technics	068-84-8417	VFC	P	Hunter Connection BBS	049-56-2052	VFC	MV
Alchemy BBS	02-556-2868	28800	MR	cALMER 1	02-482-1716	2400	P	Hydra	02-897-5522	VFC	ML
Alliance BBS	02-820-2452	14400	MRV	Cardnet BBS	02-481-8917	14400	Ltd	Hypec BBS	02-807-6708	14400	P
AlphaMed Link	02-438-2137	28800	RL	CareLink	02-281-4311	14400	MRV	Hyper Drive BBS	02-9972-2493	VFC	MR
Alternate Reality	02-899-7812	14400	P	Cat! Attack	02-716-7234	VFC	P	HyperComm	068-52-1772	14400	MRV
Amiga Action BBS	02-543-0395	14400	MRL	CC's	02-899-7148	VFC	P	HyperZone	02-9997-4432	14400	M
Amiga Connection BBS Club	02-9970-6444	VFC	MRV	Central Coast Info Centre	043-52-1838	VFC	MRV	IBM OS/2 Bulletin Board	02-899-8311	VFC	P
Amiga Turbo BBS	02-789-2609	14400	Ltd	Centrelink BBS	02-325-3756	14400	P	Illuminated BBS	02-543-8381	14400	MRV
AmiOZ BBS Australia	02-627-4442	14400	ML	CFM McAfee's - Sydney	02-252-3034	VFC	P	India's Wisdom!	02-9957-4504	9600	P
Amitech Support BBS	02-544-1873	9600	MRV	Chain Saw Massacre	043-62-1186	14400	Ltd	InfoTech BBS	02-606-6120	VFC	MRV
Andy's Secret BBS	02-790-6605	28800	MRV	Christianity Out West BBS	068-62-5145	V32t	RL	Inquestor BBS	049-72-1647	14400	MRL
Angel BBS	02-540-5969	14400	MR	Chronic Anarchy	046-47-3114	14400	MRL	INSTANT KARMA	02-750-4579	14400	Ltd
Angel Station	02-681-5664	VFC	P	Citadel: TNG	02-568-3904	2400	P	Interactive Alternative BBS	02-733-3952	28800	P
Anything Goes	066-25-2913	9600	Ltd	Clarence Valley BBS	066-43-3790	28800	RL	InterBBS	02-331-7979	14400	P
Apolloline Aust. BBS	02-869-8349	14400	MRL	CLASSIC Rock	02-9988-3076	28800	MRL	Internet Infobase Service	063-72-2347	VFC	MRL
Aquarius	02-686-3330	28800	MRV	Club Mac BBS	02-314-1322	14400	ML	InterSoft BBS	02-550-9910	14400	MRV
Arcadia BBS	02-736-2097	14400	P	Coalfields BBS	049-98-1462	14400	MRL	JAM BBS	02-820-3021	14400	MRL
Archer BBS	02-371-0347	14400	P	Coastal BBS	043-23-2275	VFC	P	Joe's Bar	049-73-3903	9600	P
ARMature II	02-580-9938	V32t	RL	Coastal Communications	02-9977-6820	VFC	ML	Jurassic BBS	02-418-6005	14400	RV
Arrow Entertainment System	02-876-5779	28800	MV	Commodore Pursuit BBS	02-522-9144	2400	RL	K.J.K.K BBS	049-52-9537	HST	P
ASGAR BBS	02-798-8880	14400	P	Communications Chaos	02-820-7082	14400	MRL	Kastlore BBS	02-672-3115	14400	Ltd
Assorted C BBS	02-314-6932	VFC	RL	Compucom BBS	069-64-1418	VFC	MRL	Kezza's Komputa	02-834-4689	14400	P
AUGSpace	02-9983-0622	VFC	ML	Computer Shack BBS	043-99-3614	14400	P	Khazad-Dum	02-545-3975	14400	P
AUGUR TBBS	02-311-3052	VFC	RV	Computers & Things BBS	065-84-9039	VFC	MRL	Kim's Korner BBS	02-890-9501	14400	P
Aurora BBS	02-726-8985	2400	R	Computrol	02-489-6848	14400	MRV	Club Kaos BBS	02-415-2201	VFC	P
AusConnect BBS	02-809-6222	28800	MV	Computropolis BBS	02-545-0186	VFC	MRL	Knowledge Bridge	02-837-1183	14400	ML
Australian BBS Registry	047-35-6789	28800	P	ContaXXX	02-30-1373	2400	R	Kralizec Dialup Unix System	02-456-5681	14400	P
Australian Music Centre BBS	02-241-5909	14400	MV	contents unknown	066-85-5442	VFC	MV	Kronos One BBS	065-86-3037	14400	MRL
Australian UFP BBS	02-570-6869	14400	MRV	Continental Drift BBS	02-9907-9220	VFC	RV	Lake Cathie BBS	049-56-2853	28800	MRL
AustraLINK	063-53-1324	28800	P	CRAGGENMOORE	049-61-1695	14400	P	Lake Macquarie BBS	043-25-4374	VFC	P
Avantgarde BBS	02-368-0675	28800	P	Creative Pacific BBS	02-9906-8392	28800	P	Landover BBS	02-579-6564	14400	MRV
AXL's	069-31-4623	28800	RL	Critical Mass	045-77-2100	14400	P	Lateline BBS	02-528-6263	VFC	MRV
Bad News BBS	02-587-8441	VFC	MRV	Cross Facts BBS	02-712-3910	VFC	MRV	Lebotamist Heaven	049-62-1768	VFC	ML
Banksia BBS	02-418-7693	VFC	L	Curly BBS	02-554-9430	14400	P	Local BBS	02-456-3264	14400	P
Basecom BBS	02-671-8149	14400	P	Custom Built BBS	02-680-8597	VFC	RL	Lodestone BBS	02-9907-9198	14400	ML
BAY WATCH BBS	044-72-9450	14400	P	Danish Connection	02-605-9048	14400	ML	MacConnection	02-541-0799	14400	MR
Beastmaster BBS	049-65-1417	VFC	P	Dark Force	02-858-4230	VFC	R	MacInTouch	02-823-5117	VFC	MR
Bedrock	049-52-5710	28800	MR	Darkhalf BBS	02-605-8238	VFC	P	Mad Dog's BBS	060-43-2019	14400	M
Bedrock City	02-669-2947	14400	MRV	DarkZone	063-72-6978	V34+	P	MadH0uSe BBS			

Commodore Network

Magic BBS	02-427-2948	VFC	P	Sentry	02-428-4687	VFC	MRV	The Information Backalley	02-829-1993	14400	Ltd	MRL
MAGIK-12 BBS	049-45-1001	VFC	MR	Serendipity Inc.	063-41-1859	28800	MRL	The Iron Curtain BBS	02-484-9430	14400	P	
ManiaXXX BBS	02-427-3038	VFC	MRL	ServiceNet Australia	02-807-1558	14400	MR	The Jolly Joker's Hideout	02-809-5453	14400	MRL	
Map Communications BBS	02-708-6685	2400	P	SHADOW BBS	02-600-7430	V34+	MV	The Level Playing Field	02-313-4169	14400	MRL	
Marky Marks BBS	02-436-4881	28800	P	Shadow Gate	02-545-3420	VFC	MRL	The Logic Support BBS	02-543-0572	14400	P	
Masters of Insanity	02-825-1173	14400	ML	ShockWave BBS	02-869-6041	14400	P	The Midnight Caller BBS	047-22-2149	14400	MRL	
Matcham Valley BBS	043-65-3729	14400	ML	Shortwave Possums	02-651-3055	28800	L	The Ministry Support Group	02-871-5878	VFC	P	
MATRIX BBS	02-482-1383	14400	MV	Sight & Sound Multimedia	047-31-6862	VFC	R	The Music Line	02-874-1800	28800	Ltd	MRV
Maximum Camage BBS	02-872-5236	14400	Ltd	Silverton BBS	068-84-0471	VFC	MRV	The NET BBS	02-550-1468	9600	P	
Merlin BBS	047-35-6280	28800	P	SineX BBS	02-746-8287	VFC	P	The Night Rider	02-570-4242	14400	P	
Micromania	02-560-0811	14400	Ltd	Skull's BBS	02-660-0757	14400	MV	The OnLine Tryst	02-601-2322	28800	MRL	
Microsoft Connect	02-878-5200	14400	RV	Skylab BBS	02-831-3823	2400	P	The Outer Limits BBS	042-26-5270	VFC	P	
MIDI - Plus	02-820-7840	14400	MRL	Southern Highlands BBS	048-72-1690	14400	P	The Poet's Dilemma	02-686-4476	14400	MRL	
Midnight Robber BBS	047-33-2290	14400	Ltd	Splash BBS	02-580-5156	14400	MRL	The Post BBS	02-9997-7849	28800	MRV	
Midnight Warehouse	047-54-1259	14400	Ltd	Spotty's Den BBS	02-546-5106	14400	MRV	The Rendezvous BBS	02-863-2643	28800	P	
Modem Addiction BBS	043-40-2441	14400	P	Stacks On BBS	02-489-8063	14400	MRV	The Role-Playing and Comics	02-488-9556	14400	RL	
Morgar BBS	047-51-7491	14400	P	Starfleet Command BBS	02-894-0402	28800	MR	The Round Table	043-43-3036	9600	RL	
Morning Star BBS	02-833-1848	14400	P	StarGate BBS	043-25-4509	28800	MV	The RS232 Connection BBS	02-880-2345	14400	MRV	
Multimedia BBS	02-670-1248	14400	MRL	STEEL CITY BBS	042-96-2591	14400	V	The Runway	02-550-9335	28800	MRL	
My Computer Company / Telix	02-565-1044	VFC	RL	STEEL CITY II	042-96-6099	9600	V	The Service Centre BBS	02-520-9127	9600	RV	
MZK BBS: The Immortal's Lair	047-30-2681	VFC	MRL	Stormblade BBS	02-545-4371	28800	P	The Skeptic 2 BBS	045-72-1790	14400	Ltd	P
Nambucca Valley BBS	065-68-9030	14400	Ltd	STRIFE BBS	044-23-0268	14400	MRV	The Software Showroom BBS	02-743-6853	VFC	P	
Necropolis BBS	02-560-0520	14400	P	Substation Zero	02-831-8040	9600	P	The Software Works	02-450-2962	14400	MRV	
Nemesis BBS	043-43-6859	VFC	P	Sydney Education Database	02-660-8272	14400	RL	The Space Station	047-74-2252	14400	RV	
NetComm Online	02-878-3755	28800	P	Sydney Information Xchange	02-557-3874	VFC	MRL	THE SPAWNING GROUND	02-725-6535	28800	MRV	
NeuRal OverLoad	045-87-7792	28800	MR	SPCUG - Campbelltown	048-28-3722	14400	MRL	The Three Amigas	02-729-0689	VFC	P	
New Age BBS	02-898-0467	28800	P	SPCUG - Compaq BBS	02-540-1842	VFC	MRL	The Time Gate BBS	049-56-2118	VFC	MRL	
NIGHT'S of the R TABLE	047-29-2505	14400	Ltd	SPCUG - IBM BBS	02-724-6813	14400	MRL	The Twilight Zone	02-750-6117	14400	MRL	
Nightmare BBS	02-602-6652	VFC	M	Symantec BBS	02-879-6322	14400	P	The Valley BBS	02-898-0357	VFC	P	
NightShift BBS	02-820-3936	14400	MRL	Syntech BBS	044-23-3638	VFC	P	The Virgin BBS	02-540-5017	14400	MRL	
No-Limits BBS	02-792-1497	VFC	P	TALL TOWER BBS	02-684-2202	14400	P	The WAR Zone	02-520-5748	VFC	MRV	
Orange High BBS	063-61-9581	14400	P	Tech Pacific BBS	02-697-8585	14400	M	The Warriors Gate	02-894-0104	14400	R	
Orange TAFE BBS	063-63-7121	14400	RL	Technobank	069-74-1150	9600	Ltd	The Web	02-528-5941	14400	MV	
Outback Tardis	080-87-1122	VFC	P	Technology Gone Wild	02-545-1132	14400	MV	The Western Connection	067-67-3795	9600	RV	
Oz One BBS	02-726-3878	VFC	MRL	Technophilia BBS	02-807-3563	28800	ML	The White Lodge	02-396-8181	14400	RV	
OzWorld BBS	02-891-1886	14400	R	Teens Unlimited	02-9980-7571	28800	Ltd	The Wild Horse BBS	02-628-0583	VFC	MR	
PALANTIR BBS	02-9975-3355	28800	RL	Teleport BBS	068-89-1237	14400	MV	The X-Files BBS	02-868-5982	14400	P	
Paragon Bulletin Board	02-597-7477	14400	P	Tesseract CAS	02-477-7271	VFC	MV	Thunderbolts Rock	02-837-1133	14400	P	
Paranoia BBS	02-553-0160	28800	P	Texpac Electronic Magazine	02-456-4606	2400	M	TRIODE	02-389-8022	VFC	R	
Parkinson's Australia BBS	02-550-1600	14400	P	The Accumulator BBS	02-609-4263	9600	RL	Triops BBS	063-62-9715	9600	RV	
PC 2000 BBS	066-51-6625	14400	MRV	The Back Shift BBS	049-34-3718	14400	RV	TSS BBS	063-33-4780	14400	P	
PCABB	02-449-1710	28800	R	The Battle Bridge	02-9971-4304	14400	MRV	Tweed Valley	066-76-3511	VFC	P	
Phantom Connection BBS	02-387-2380	14400	Ltd	The Black Knights BBS	02-773-6630	14400	MR	Twisted Dreams BBS	02-636-4990	9600	MRV	
Phaze 9	064-56-2716	VFC	MR	The Blue Satellite	043-40-4851	14400	MRL	Twister II	02-30-3513	28800	L	
Phoenix Fire	02-534-1702	14400	MRV	The Brewery BBS!	02-825-4491	VFC	MRV	Unlimited Access BBS	042-97-0318	VFC	P	
Pin Drop BBS	02-662-8918	14400	P	The Cabal Connection	044-72-4044	14400	RV	ValleyLink BBS	049-30-8151	14400	MRV	
PLANET X	02-832-2776	14400	RV	The CADET BBS	02-489-8025	28800	ML	Vidlab BBS	02-873-3201	VFC	MRL	
PLC-Support	043-85-3783	14400	L	The Cheese Shop	02-9908-2276	14400	P	VK2EHQ's Mountain System	043-73-1232	PEP	P	
Pointbreak BBS	049-57-1685	VFC	MR	The City Bulletin Board	02-456-4895	VFC	P	Vulcan's World	02-635-1204	14400	MRL	
Possum Power Tank BBS	02-544-1060	9600	RV	The Comtel BBS	043-99-3478	VFC	P	Wang Helpline BBS	02-898-6363	14400	MV	
Power BBS	02-858-4114	14400	P	The Data Centre	02-874-0162	14400	ML	Waste Lands BBS	02-683-1963	VFC	P	
Powerhouse BBS	042-81-6380	VFC	RV	The Data Exchange	068-84-6705	VFC	MRL	WATA BBS	043-52-2207	VFC	Ltd	RV
Predators HQ BBS Australia	02-608-3088	14400	P	The Desert DropIn BBS	080-87-7402	VFC	MRV	Way Out West BBS	02-628-8888	28800	MRV	
Quarterdeck Office Systems	02-545-4070	14400	P	The Eagle Zone	066-86-3901	28800	MR	Wayback BBS	02-558-8703	V32t	P	
RAM CRAM	043-99-2016	9600	P	The Eagles	02-745-3500	VFC	MRV	Westcom BBS	047-21-2925	VFC	P	
Restless (NRFTW) BBS	045-76-6000	VFC	P	The Electronic BBS	02-387-7146	14400	MRV	Westminster Banner BBS	02-831-6375	VFC	Ltd	MR
ReTROGRaDe BBS	02-9969-4691	28800	MR	The Evolution	02-544-1010	VFC	MRV	Wheel Life BBS	02-557-8039	14400	R	
Route 101 BBS	02-9975-4332	VFC	ML	The FIRM BBS	049-48-9292	28800	Ltd	Wild Side	042-57-1924	14400	L	
Royal Blind Society A.T.S	02-744-5026	14400	P	The Flying Eagle's BBS	063-53-1978	14400	MRV	Wild Thoughts BBS	047-22-2337	2400	Ltd	P
Rubber Chickens BBS	07-5590-7851	14400	RL	The Grassy Knoll	049-65-3686	28800	MRL	Wizard BBS	02-9975-5692	28800	Ltd	P
Sanctuary BBS	049-43-9243	VFC	P	The Green Hills BBS	02-607-5119	14400	Ltd	Wombat BBS!	02-550-4608	28800	RL	
SATCOM_AUSTRALIA BBS	02-9905-0849	VFC	P	The Grid	02-9972-2338	14400	MRV	Zoo Station BBS	068-84-0790	28800	MRL	
SBA Business BBS	02-872-6697	14400	ML	The Grid Point	068-53-1874	2400	Ltd	ZZap BBS	049-42-8176	VFC	P	
Sci-Fi BBS	02-846-4865	14400	P	The Hills BBS	02-484-4890	14400	Ltd					
Scorpion Squizz's BBS	02-527-2289	14400	P	The Imperial Data Exchange	065-53-9256	VFC	MRL					
Scotty's BIG RED Bus	067-62-0241	HST	RL	The INFINITE Realm BBS	02-457-9284	14400	Ltd					

Surfin' the nets



Returns in December
COMMODORE NETWORK

Commodore
Network

Commodore Network Merchandising

9 Wadeson St, Cobram, Vic 3644

THE ULTIMATE CP/M COLLECTION

Encouraged by the acceptance of our "CP/M Corner" column, and realising that one of the major problems faced by 128 users who choose to delve into the depths of CP/M is knowing where and how to acquire software, we have put together this massive collection of material covering some 30 X 1541 disk sides, or 8 X 1581 disks. and we've made it available for only \$40.00

ALIVE! CLIPART COLLECTION #1

A collection of Print Shop style images compiled from various sources, and presented on 111 Fun Graphics Machine clip art screens. Each screen holds nine images. You will need FUN GRAPHICS MACHINE to utilise these. Comes with a printout of each graphic presented in a binder and at a total cost of only \$22.50

THE GEOZ COLLECTION

A huge collection of GEOS shareware and PD items put together over the years by Artie Stevens at GeoZ BBS, and added to by myself and others. Includes more than twenty disk sides of GEOS applications, three disk sides of desk accessories, one of Auto execs and input drivers, three of fonts, and thirteen of art. FORTY disk sides for only \$60.00

THE PROGRAMMER'S CROSS REFERENCE GUIDE

The definitive reference work for the programmer who wishes to translate programs between the following platforms - C64, C128, and Plus 4. Available as a print out and presented in a three ring binder, or as a sequential file on disk for you to print out at your leisure.

Binder: \$15.00

Disk: \$7.50

THE 1581 MASTERS COLLECTION

A collection of 1581 utilities and files, supplied on a 1581 disk. Ideal for owners of this drive or the new CMD FD series drives looking for utilities to help them get the most out of their equipment.

\$5 to subscribers \$7.50 non-subscribers

THE 1571 MASTERS COLLECTION

As above, but for use with the 1571 drives. Includes programs to help you utilise your drive's ability to handle MS-DOS disks.

\$5 to subscribers \$7.50 non-subscribers

SAMMANATHA'S GRAPHICS GOES GEOS

Yes, the popular Sammantha's Graphics in GEOS format, a must for those wishing to add a touch of Australiana to their GEOS documents.

\$5

GEOS BORDERS

by Norman B Gough

A selection of borders for use with GEOS. Two double sided disks for an unbelievable price of just \$7.50 the set.

CN GEOPAK #1

A selection of GEOS items fresh from Q-Link in the States. This double sided disk contains FULL documentation for most files. Disk contents include: Poster Print, Change BSW, various Fonts, Printer Drivers, and graphics, Unpublish etc.. A must for any GEOS collection.

\$5

CN GEOPAK #2

The long awaited second disk in our GeoPak selection. Full documentation is included. Two disk sides containing, amongst others: Mah Jong, DB Getfile, Fontloader, etc..

\$5

CN GEOPAK 128

A double sided collection of GEOS PD exclusively for the 128 \$5

ADVENTURE DISK #1

The first of our adventure collections.

\$5

ADVENTURE DISK #2

The follow up to the successful Adventure Disk #1 for the many adventurers out there

\$5

INTERCHANGE 64 and INTERCHANGE 128

Two disks devoted to specialised programs to help the translation of documents or graphics from other computer systems to the C64 and the C128 respectively.

Sold separately at \$5 per disk for subscribers, \$7.50 non-subscribers.

DEMO GRAPHICS TOOL DISK

A collection of tools for the budding (and experienced) demo artist.

\$5

DESOTO UTILITIES

An excellent multi-drive operating system for the C64. Handles 1541, 1571, 1581, CMD HD, and RAMLINK in any combination - EXCELLENT!

\$5

GRAFIX GALORE

Tom Stoehe

Subscribers to LoadStar will be familiar with Tom's Work.

This collection is priced at \$10.95 and comes recommended.

SAMMANATHA'S GRAPHICS

By Sammantha Hayhoe

Looking to add a touch of Australiana to your printed output? Here is a collection of true blue graphics for PrintShop users.

\$5

SAMMANATHA'S GRAPHICS II

By Sammantha Hayhoe

52 new true blue Oz graphics and 67 brand new borders!

VIDEO SHOP

A multi featured graphics manipulation program capable of working with Print Shop, PrintMaster, Doodle, Koala and standard bit-map graphics. Comes complete with a disk of graphics and a disk of fonts and a detailed manual.

\$12.50

MOUSE MATS - \$4.95 each

I now have a range of no-name diskettes in both 5 1/4" and 3 1/2" formats

5 1/4" DS/DD - \$5.50 per box(10) \$50 per 10 boxes(100)

5 1/4" DS/HD - \$10.50 per box(10) \$95 per 10 boxes(100)

3 1/2" DS/DD - \$10.30 per box(10) \$88 per 10 boxes(100)

3 1/2" DS/HD - \$16.50 per box(10) \$150 per 10 boxes(100)

Disk Labels with write protect tabs - 100 for \$2

All items can be ordered from both

Commodore Network

9 Wadeson St.

Cobram

Victoria, 3644

C.N.P.D

44 Balfour St,

Nailsworth,

S.A., 5083.

If ordering 1581 disks, please remember that orders for these can only be serviced from the Cobram address. Don't forget our \$2.00 post/packing charge.

All software orders within Australia should include \$2 to cover postage costs. New Zealand orders add \$3 Aus. to cover postage and for orders from elsewhere, a postage fee of \$5 Aus. is necessary. Diskette Orders should include postage of \$2 plus 50 cents per disk box within Australia. New Zealand diskette orders should include \$3 plus 50 cents per disk box per order. Sorry we cannot accept orders for diskettes from elsewhere.

44 Balfour St
Nailsworth SA
AUSTRALIA 5083

AVAILABLE NOW

DEMO DYNAMITE

An incredible ELEVEN double-sided disks FULL of some truly GREAT demos, with a few disk magazines from the scene thrown in. At less than \$2.50 a disk, demo lovers just can't go wrong! - Just \$30.00 for 11 double-sided disks.

SUPER FLI COLLECTION

You've marvelled at the stunning detail and vibrant colours of these graphics before! Now is your chance to start your own incredible collection of FLI and new SUPER FLI graphics. Three disk sides - JUST \$7.50

DEMO BUNDLE

Want both the above? We'll let you have BOTH the above for ONLY - \$35.00

CLIP COLLECTION

GEOS users! Here's a chance to add hundreds of individual graphics to your collection. Presented in Photo albums on TEN disk sides - \$40.00

PD POWERDISK #1

FEATURING "Super Aide" as reviewed in the August 1994 "PD Power" column in Commodore Network ONLY - \$5.00

GAMES GALORE

14 disk sides of P.D. entertainment. Something for just about everyone! Arcade games, simulations, adventures, etc, etc. An AMAZING - \$15.00

HOME HANDY PACK

OK, so you want to do a little more than just play games! Well, we've put together a disk especially for YOU! The disk contains a typing tutor, word processor, DOS shell, databases and much more! ONLY - \$5.00 the double-sided disk.

PRINTSHOP GRAPHICS VOL #1

Eight disk sides of Printshop graphics - \$20.00

PRINTSHOP GRAPHICS VOL #2

More of the same - eight disk sides - \$20.00

SID COLLECTION A

Hear your SID collection come to life with this collection of great music. Comes complete with player program. 8 sides - \$20.00

SID COLLECTION B

A further collection of tunes complete with player 8 sides - \$20.00

SUPER SID COLLECTION

Both the above SID sets combined - \$35.00

SID MASTER

From Steve Stewart and Indy S/ware. Recommended for those looking to get the most out of the SID chip - \$15.00

GEOMETRIX COLLECTION

6 x 1581 disks full of GEOS applications, desk accessories, printer drivers, fonts, graphics, games and so on. A GEOS enthusiasts dream! Can be supplied on 1541 or 1571 disk as required at no additional cost \$30.00 to subscribers, \$45.00 to non-subscribers.

1581 MASTERS COLLECTION

A selection of utilities and files to help you get the most out of your 1581 or CMD FD series drive \$5.00 for subscribers, \$7.50 for non subscribers.

1571 MASTERS COLLECTION

For the owners of the 1571 drive who would like to get the most from their equipment - \$5.00 for subscribers, \$7.50 for non subscribers.

SAMANTHA'S GRAPHICS 1

By Samantha Heyhoe - A collection of true blue Aussie Printshop graphics - \$5.00

SAMANTHA'S GRAPHICS 11

More Aussie Printshop graphics - \$5.00

SAMANTHA'S GRAPHICS GOES GEOS

Samantha's excellent graphics converted for use within GEOS - \$5.00

GEOS GAMES PACKAGE

by Kent Smotherman - A collection of original games for use within GEOS. Advertised in America for \$US20.00 (approx \$28.00 Aust), you can get your copy for - \$27.00

GEOS BORDERS

by Norman B. Gough - Four disk sides of borders for GEOS - \$7.50

C.N. GEOPAK #1

A double-sided disk full of GEOS goodies. Full documentation is provided on disk for most files. Contents sample includes : Poster Print, change BSW, various fonts, printer drivers, etc, etc. - \$5.00

C.N. GEOPAK #2

The long awaited second disk in the series. Two disk sides containing, amongst others, Mahjong, DB Getfile, Fontloader etc. Full documentation on disk - \$5.00

C.N. GEOPAK 128

For users of GEOS 128 - \$5.00

ADVENTURE DISK #1

The first of our disks for adventurers - double-sided - \$5.00

ADVENTURE DISK #2

More adventures for the adventurer - double-sided - \$5.00

INTERCHANGE 64 & INTERCHANGE 128

Two disk sides devoted to specialised programs to help in the translation of documents or graphics from other computer platforms to the C64 or the C128. Sold separately - \$5.00 for subscribers, \$7.50 for non subscribers

GRAFIX GALORE

Printshop graphics from Tom Stoeckle of the USA - \$10.95

DEMO-MAKING DISK

Tools for the budding demo maker - \$5.00

DESTERM - The BEST C128 terminal program - \$5.00

NOVATERM

As above, but for the C64 - \$5.00

VIDEO SHOP

Powerful graphics manipulation package comes with a program disk, seven disk sides of graphics and fonts, and a comprehensive manual - \$15.00

THE TIPTON COLLECTION

Extensive collection of C128 material, including CP/M, BASIC 3, and much more. A must for any 128 owner. Available on 1581, 1571 or 1541 disks. Covers 20 x 5.25" disks.

Please enquire.

DESOTO UTILITIES

Powerful C64 program suite allowing the simple utilisation of multiple drives. Handles 1541, 1571, 1581, FD, HD, and RAM Link units with ease.

A must for power users. - \$5.00

PLUS 4 COLLECTION

We don't see much for Plus-4 users nowadays, so we've made a special effort to make these seven disk sides available - \$15.00

MOUSE MATS

Quality mouse mats at an affordable price - \$4.50

BUSINESS DATABASE

Top database program incorporating chequeing, invoicing, mail labels, address records and much more - \$5.00

BUSINESS - FINANCE

Creative Finance is a powerful organiser with the built-in capability to set up a complete financial management system - \$5.00

EZ LOADER - C64/128

Hailing from America, this program offers the user access to his/her disks via a user friendly menuing system. Running in both C64/128 modes (in both 40 and 80 columns on the 128), its strength is its ability to be used with almost any hardware configuration - \$5.00

UTILITIES - FRESH UTES

Two sides of demo utilities including Centauri Editor 1.4, EMC editor, sound and Vision Logo Editor, Graphics Creator 1, Font Editor III and FLIGraph Editor 1.1 to mention only a few - \$10.00

UTILITIES - COPY UTES

Something to copy almost anything - \$5.00

UTILITIES - MIXED UTES

Double sided disk containing such items as an 80-column screen maker, a letter maker, a disk menu maker, picture linker etc, etc. - \$10.00

DRUM MAKER II PLUS

A drum synthesizer, this disk includes various synthesized drum routines from games and allows the creation of your own - \$5.00

SAMANTHA FOX SAMPLES

Digitized music from Samantha Fox - \$5.00

MUSIC USER DISK

Utilities to help you create dine music. Two disk sides - \$10.00

WB40 DIGIS

Into the group WB40? Well here's your chance to listen to it on your commodore. Includes "Come Out II" - \$5.00

DEMO GAME

Hobby - a good playable demo of a commercially released game - \$4.00

THE DISK- COVERER 64 COMPENDIUM

Every disk side ever released in Commodore Network's popular Disk-Coverer disks.
Hundreds of excellent C64 programs, totalling a MASSIVE fifty-six disk sides for \$50.00

THE DISK-COVERER 128 COMPENDIUM

All the Disk-Coverer 128 disks since their first release in Disk-Coverer #7, plus all the 128 programs carried on the "Magazine" side of our disks. Eight disk sides for only \$8.00

THE DISK-COVERER GEOS COMPENDIUM

Five disk sides of GEOS goodies plus all the GEOS items carried on the "Magazine" side of our Disk-Coverer disks over its lifetime. Six disk sides for only \$6.00

THE COMPLETE DISK-COVERER COMPENDIUM

All of the above for only \$60.00

SUPER SIX PACKS

All Super Six Packs consist of six disk sides of software for ONLY \$20.00

BUSINESS PAK

For the small business person looking for low-cost software

DEMO PAK

Great demos at a GREAT price

GEOGRAPHICS TOOLBOX

Discover the true power of GEOPaint with these tools

GEOWRITE TOOLBOX

Fonts and applications for GEOWrite users

HOME ENTERTAINMENT PAK

Computerised board games galore

PUZZLE PAK

Crafty conundrums for the puzzle fanatic

GAMBLERS DELIGHT

Everything a true gambler could want

EDUCATION PAK

Six disk sides full of learning

GEOGRAFIX PAK

GEOS PAK

BLANK DISKS AVAILABLE - Top quality - the 5.25 disks come with sleeves but no labels.

5.25 Double Density - suitable for C64/128	\$17.50 / 50
5.25 High Density - suitable for IBM	\$21.00 / 50

3.5 Double Density (Box 10)	\$6.50
3.5 High Density (Box 10)	\$7.00

Commodore Network PD

MOBILE 018 853 702

Telephone (08) 342 1197

44 Balfour St
Nailsworth SA
AUSTRALIA 5083

GIFT VOUCHER PAKS - FOR THAT SPECIAL OCCASION

Due to very popular request, we have decided to make available gift voucher paks at the very reasonable price of \$20.00 (normal price in excess of \$40.00)

C64/128 GIFT VOUCHER PAK

This Pak includes our Disk Catalogue Set of 6 Disks, including Premium, Budget, Games, Geos, Adventures, plus a special Games Disk. It also includes a Certificate for the recipient to select 6 disk sides either from the Catalogues, or from our very popular Six Pak Series - details of which will be included in the Voucher Pak. Also included is a Bonus Certificate which enables the recipient of the Gift Voucher additional savings on any purchase from the Catalogues.

AMIGA GIFT VOUCHER PAK

This Pak includes our 4 Disk Set Catalogue which includes all types of programmes, including an extensive games selection and much more, plus the choice of 7 disks from the Catalogue.

IBM GIFT VOUCHER PAK

This Pak includes 5 Disk Catalogues from our 35+ Disk Catalogue Set, including Miscellaneous, Games, Utilities, Education, Windows, our very popular Jewell Collection plus Hints & Cheats etc., to name but a few, plus 6 disks from the Catalogues, plus an excellent Shareware games on HD 3.5 Disk.

Commodore Network PD
44 Balfour St
Nailsworth SA
AUSTRALIA 5083
phone (08) 342 1197
mobile 018 853 702

ORDER FROM

Date _____

PAYMENT BY:

Cheque No. _____ Amt. Enclosed: _____
Money Order _____ Amt. Enclosed _____

Money Order	Amt. Enclosed
-------------	---------------

COMPUTER	DISK SIZE H/L DENSITY
AMIGA	
IBM	
C64/128	

Payment Policy: Payment with order, please

CAT. NO	QTY	DESCRIPTION	PRICE/UNIT	TOTAL AMOUNT

Minimum Delivery Charges	
--------------------------	--

C64/128 \$2.00

Amiga	\$2.50
-------	--------

IBM	\$3.00
-----	--------

Sub total

Delivery

Total due